

4th Quarter 2025 • Valid through December 30, 2025

# **250A 6/12V Battery Charger/Engine Starter**

**#SC1325 LINE 806** 

Automatic battery charger for heavy-duty engine starting & charging. With a 250amp engine start, Schumacher's SC1325 6- and 12-volt automatic battery charger is powerful enough for SUVs, trucks, and large engines. 40-amp boost mode brings batteries back to life in no time. Equipped to charge standard, AGM, gel, and deepcycle batteries and includes a built-in battery and alternator tester.

\$27739 Schumacher



#### 600+LM Li-lon Slim Work Light

#W2231 LINE 962

Slim work light featuring a variable output dial and a swivel hook for hands-free use. Built-in Li-Ion battery and charging cable. Variable output dial adjust light output from 150 to over 600 lumens. Thin, low profile light bar body for access in confined areas. Swivel hook and removable 360° swivel magnetic base for

hands-free use. Built-in rechargeable lithium ion 18650 battery and charging cable.





# Spline Keys, Wheel Nuts, & Wheel Studs

PART #	DESCRIPTION	# SKUs / # PCS	PRICE
#WK-ASST-KEY1	Spline Key Set	6 pcs	\$29.95
#WK-ASST-1A	Wheel Nut Assortment	24 SKUs / 93 pcs	\$149.95
#WK-ASST-STUD	Wheel Stud Assortment	12 SKUs / 120 pcs	\$199.95
	The Charles City	Gill Al	







**LINE 976** 

#### **Electrical Disconnect Pliers**

#37960 LINE 576

Easily removes locking push tab style electrical connectors found on Mass Air Flow Sensors, Fuel Injectors, Ignition Coils, and other applications.





#F81405 LINE 976

- Easily remove wheel locks, even if the key is lost
- Removes stripped, damaged, or rounded-off lug nuts or locks

**Heavy-Duty & Built to Last** 

#### **Powerful & Versatile**

- Designed for fast and effortless removal of stubborn lug nuts and wheel locks
- Compatible with impact wrenches and hand tools

#### **Complete Set Includes:**

- Four 1/2" Drive Impact Twist Sockets (17, 19, 21 & 22mm)
- One Knockout Pin for quick and easy removal of extracted lug nuts



VALID THROUGH DECEMBER 30, 2025

DEDICATED TO THE PROFESSIONAL INSTALLER

# NEW TOOLS

Limited inventory - Please expect shipping delays on all new numbers.

#### **GM HARMONIC BALANCER PULLER, LS ENGINES**





#### 1/2" DRIVE DIGITAL TORQUE WRENCH

#### #23130 | LC 883

Delivers up to 375 ft. lbs. of reverse torque, and features an auto-stop function to reduce the risk of stripped threads | Powerful 20V brushless motor | Advanced electronic motor control provides 4-speed/torque settings, with the push of a button, to apply the right amount of force needed for the job | Optional auto-stop function works in reverse to deliver full breakaway torque, then stops rotation as soon as the lug nut or bolt breaks loose, preventing bolt stripping and uneven loosening | Built-in LED light | 20V 2.0 Ah Lithium-Ion battery, with power level indicator, and 1-hour quick charger, gets you get back up and running quickly



#### **EXHAUST HANGER PLIERS**

#### #W80687 | LC 962

Remove rubber exhaust hangers with ease Cushioned grips for added control and leverage Works on all import and domestic car and truck exhaust systems using rubber donut supports Simply squeezing the plier handles forces the rubber support from the exhaust hanger 11-1/2" overall length, with two color cushion grips for comfort Made of heavy gauge high carbon steel



#### **CAM PHASER LOCKING & HOLDING KIT**

#### #36900 | LC 576

Works on 2011 and newer Chrysler, Dodge, and Jeep vehicles to lock cam phasers in place and release tension on the timing chain for service | Includes left and right cam phaser lock blocks, chain tensioner release pin and five holding tools for 3.0L, 3.2L and 3.6L VVT and VVL Pentastar



#### **EMERGENCY LONG-REACH TOOL KIT**

#### #84100 | LC 576

Includes tools needed to get into most vehicles quickly and effectively | Two-piece zinc plated long reach tool is 54" when assembled and comes with white vinyl tips | 7" tip can be used for a shorter, 36" reach tool | Abrasive loop is used to grab and lift lock button | The combination wedge is inserted between the vehicle door and frame, creating a gap to insert tools | The curved wedge is used to open the gap further | The air wedge is used in combination with the other wedges to create a larger working gap | Paint protector helps prevent damage to vehicle surfaces | Includes padded carrying case for storage and protection | Intended for roadside assistance or emergency situations





#### LIFTING EQUIPMENT & MISCELLANEOUS





#### **RATCHETING JACK STANDS**

#### 3 TON RATCHETING JACK STANDS

**#W41022 LINE 962** 12" to 17-1/4" range

\$**62**75

#### **6 TON RATCHETING JACK STANDS**

#W41023 LINE 962

15-1/2" to 23-1/2" range

**\$117**68



#### **20 TON AIR HYDRAULIC BOTTLE JACK**

#ASM2022 LINE 716

Fully welded cylinder and frame provide superior strength and extended service life | Heavyduty aluminum air motor ensures FAST, smooth and efficient operation | Min Height: 10-5/16" | Max Height: \$19-15/16"

**AUTOSPORT FLOOR JACKS** 

3 TON LOW PROFILE LONG REACH



#### **2 TON FOLDING ENGINE CRANE**

#W41029 LINE 962

4,000 lb. capacity | Adjustable boom with chain and hook | Legs fold up for easy storage | Patented design



\$64900



# handle | Rubber saddle pad 3.5 TON EXTRA LONG & EXTRA LOW PROFILE FLOOR JACK

6,000 lb load capacity | Minimum height 3-1/8" | Maximum height 19-3/4" | Double pump design for fast and efficient operation | 2-pc knurled

#ASM56135 LINE 716

**FLOOR JACK** 

#ASM5603 LINE 716

7,000 lb load capacity | Minimum height 3-3/8" | Maximum height 24-5/8" | Double pump design | High lift | Bumper pads | Rubber saddle pad

95 AutoSport

# **HEIN-WERNER JACKS**

#### 3 TON SERVICE JACK

#HW93652 LINE 675

Heavy duty frame for rugged applications | Longer chassis ideal for truck and SUV | Full swivel rear casters for easy positioning | Cast iron lift arm for heavy duty loads | One piece handle | U-joint release mechanism for precise load control | Min. height - 5" | Max. height - 23.5"

\$**779**00



#### 1,500 LB UNDERHOIST SUPPORT STAND

#ASM2811 LINE 716

Provides extra support for lifted vehicle components during installation and removal | Minimum height 54.7" | Maximum height 81.1" | Adjustable saddle allows precise height positioning | Perfect for under vehicle works such as transmissions, driveshafts, and more | Padded T-handles and extra large threads provide fast adjustments

\$19/195

AutoSport

#### **FUEL TANK ADAPTER**

#ASM1706 LINE 716

Gas tank handler | Adapter holds automotive, SUV, and truck fuel tanks | Foam pads protect the fuel tank | 40 gallon capacity | Tie down straps secure tank for added safety when transporting | Adjusts front to back | Dimensions: 32" x 14.5" | Tie down length: 24"



#### 20" SAE/METRIC 4 WAY LUG WRENCH

#W1 LINE 962

Drop forged steel | Sizes: 3/4", 13/16", 7/8", and 19mm



# S.U.R. & R. REPLACEMENT KITS AND SPECIALTY TOOLS

#### **FUEL LINE REPAIR KITS**

Replace and repair fuel lines with the same advanced technology used by new vehicle manufacturers | Cost effective - save up to 70% vs. OEM fuel lines | Easy-to-use - no special insertion tools required; reduces labor time Complete coverage - create fuel lines for virtually any vehicle | Safe - nylon lines hold up to 200 PSI

#### FUEL LINE REPLACEMENT KIT

52 pieces plus 15' roll of 5/16" & 15' roll of 3/8" nylon fuel line, 5/16" & 3/8" 360° seal clamps, tubing cutter, and clamp pliers in a well organized carry case

#### **DELUXE FUEL LINE** REPLACEMENT KIT

168 pieces plus 75' of tubing No special insertion tools required; reduces labor time Works with domestic and foreign vehicles Nylon lines hold up to 200 PSI Safe for use with multiple fuel types including gas, ethanol and diesel



# 1/2" & 12 MM FUEL LINE REPLACEMENT KIT

Ideal for numerous applications, including: Dodge, Ford, and GM diesel trucks (fits most applications 2005-present) | Works with EVAP Lines No specialty tools required



# TRANSMISSION OIL COOLER **LINE REPAIR KIT**

Replace or repair transmission oil cooler lines for most vehicles within minutes

#### DELUXE TRANSMISSION LINE REPLACEMENT KIT

Safe and durable | Pressure rated up to 250 PSI in temperatures up to 350° F | Latest, safest technology available including new flexible nylon line designed specifically for transmission Includes the most common 5/16" and 3/8" fittings and adapters | 80 pieces and 15' of line





Everything needed to replace brake lines quickly and easily is included in these convenient, all-in-one kits Best-In-Class UltraBEND® tubing | Metric and standard fittings included



#### 1/4" BRAKE LINE REPLACEMENT KIT

40 pieces includes: 25' roll of 1/4" UltraBEND® tubing, inverted flare nuts, bubble flare nuts, and unions packaged in a durable, portable carrying case

#### 3/16" BRAKE LINE REPLACEMENT KIT

110 pieces includes: 25' roll of 3/16" UltraBEND® tubing, inverted flare nuts, bubble flare nuts, and unions packaged in a durable, portable carrying case

#### **ULTIMATE BRAKE BLEEDER** REMOVAL TOOL KIT

Reduce labor time | Avoid unnecessary and difficult drilling, tapping, or heating, decreasing the risk of damaging the caliper Kit includes

#### AIR BRAKE REPAIR KIT

FMVSS (DOT) and SAE compliant Individual pieces available for reorder Pre-applied thread sealant for easy installation Composite body: Saves weight, UV resistant, vibration resistant, excellent chemical resistance

Features push-to-connect composite fittings in 25 popular styles

#### A/C LINE REPAIR KIT

Make instant repairs to A/C lines on hundreds of vehicles

#### DELUXE A/C LINE REPAIR KIT

#AC1387 LINE 867
Repair damaged aluminum lines including pinholes, cracks, kinks and more Covers common line sizes including 3/8", 1/2", 5/8", & 3/4" compression unions and line adapters designed specifically for A/C repair applications Conforms to SAE J2064 specifications for low permeability | Pressure rated up to 600 PSI 47 pieces plus 20' of hose





#### **PISTOL GRIP FLARING TOOL**

Compact pistol grip design for easy on-the-car use | Perfect for flaring in tight spaces | Dual handles for optimal control and positioning Use on or off car (including use within vise) Heavy duty hydraulic ram with over 6,000 PSI crimping pressure Includes 10 punches and 4 dies (5/16" & 3/8" dies grooved for extra grip when used with steel and coated tubing)

Single

(MUSHROOM)

#### **Create Virtually Any Flare Instantly**





(45° BUBBLE) (45° INVERTED)





Two-piece design allows for swivel action



Pins ensure accurate alignment of dies



Magnetic voke holds dies securely in place



Detent ball provides quick punch change

#### **HIGH SPEED SUPER DUTY FLARING TOOL**

#FT351 LINE 867

Produces OE quality flares in seconds Sizes 3/16", 1/4", 5/16", 3/8" and 4.75mm Cam lever operation provides speed and efficiency Use with easy bend aluminum steel lines



# HYDRA-ASSIST FLARING TOOL

#HFT50 LINE 867

Hydraulic assist T-handle ram | Quick-chuck for fast punch changeover | S-lock for quick assembly | Dual handle placement for ease of use | Compact size convenient for working in tight spaces



#### FILTER REMOVAL CUPS #FC5 (34 oz) or #FC25 (14 oz) **LINE 867**

Prevents messy, dangerous fluid spills | Protects hands from heat and mess | Keeps shop floors clean



#### **4 PC. CLAMP KIT**

#FLS330 LINE 867

Universal design – use to plug lines 3/16" to 1/2" | Prevents messy fluid leaks and contamination during service | Perfect for line repairs including brake, transmission, A/C, fuel and







#### **PLASTIC OIL DRAIN PLUG REMOVAL SET**

#DPR350 LINE 867

Specially designed for removing plastic engine oil pan drain plugs on many late model Audi, BMW, Ford, Lincoln, and Volkswagen vehicles | Specially designed to slot in and release the drain plug without causing damage | Maximum grip on plug surface provides for simple, easy removal | Safer to use than pliers and screwdrivers | Includes convenient storage case

#### **POSITIVE SEAL HOSE CLAMP KIT**

#HC102 LINE 867

Features superior 360° sealing for low- to high-pressure applications - including fuel, air conditioning and coolant lines | Includes 100 positive seal clamps with permanent no-leak seals and a set of durable seal clamp pliers

#### **NYLON FUEL LINE UNION ASSORTMENT**

#K555 LINE 867

12-piece assortment | Simple to use push-to-connect technology, which allows two sections of nylon fuel line to be connected by hand | Quick connector does not require a clamp or a wrench | Provides long-lasting repairs that save time and money

#### **HANDHELD TUBING STRAIGHTENER**

**#TS224 LINE 867** 

Perfect for making professional-grade lines Straightens 3/16" and 1/4" tubing | Can be used on aluminum, copper-nickel, and steel lines | Great for use on the car or in a vise | Thumb selector for easy choice of 3/16" and 1/4" sizes | Molded finger grips for secure handling and control

#### **AUTOMATIC / RATCHETING TUBING CUTTER**

**#TC60 LINE 867** 

Tighten once and spring loaded cutter does the rest Innovative design, great for: brake, fuel, A/C, transmission & more | Easily cuts 3/16" - 5/8" tubing | Ratcheting action handle | Removable cutting head | Replacement blades available

#### **TUBING PLIERS**

#TP14316 LINE 867

Makes sharp bends without kinking lines | Works with 3/16" and 1/4" sizes





#### HAND TOOLS. EXTENSION CORDS & BATTERIES

#### 45 PC. STUBBY TOOL SET

#### #W39000 LINE 962

72 gear teeth dual drive ratchet: 1/4" and 3/8" drives in one ratchet | Ratcheting screwdriver: clockwise, counter clockwise and locking positions | Stubby adjustable wrench has 1" rule on head for precision adjustments | Alloy steel construction for strength and durability | Comfortable cushion grip handles 1/4" hex to 1/4" drive (m), 3/8" (F) to 1/4" (m) adapters and 3/8", 3" extension | 1/4" drive socket sizes: 5/32", 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16" & 1/2"; 4, 4.5, 5, 6, 7, 8, 9,10, 11 & 12 mm | 3/8" drive socket sizes: 9/16", 5/8", 3/4"; 13, 14, 15, 17mm | 1" bits: Phillips #1 (2), #2 (2) & #3; Star T-15 & T-20; Slotted 5/32", 3/16" & 1/4"; Hex 1/8" & 1/4



#### **2 PIN CALIPER TOOL**

#### #W80627 LINE 962

Use to spin the piston back into the cylinder of the brake caliper | Works well on vehicles with self-adjusting parking brakes | Adjustable design fits a majority of domestic and import cars with 2 slotted wind-back caliper pistons | Attaches to a 3/8" drive ratchet, and fits a range from 20 - 35mm



#### UNIVERSAL LIFT SUPPORT CLAMP

Designed to hold gas charged lift supports found on hoods, tailgates, hatchbacks and trunks | Securely holds weak lift supports in the extended position to allow access | Strong steel thread surrounded by an aluminum clamp to prevents damage to lift support | Adjust to fit any size support up to 3/8" quickly | Made of lightweight aluminum with a large screw knob for easy installation



#### **EXTENSION CORDS**

#### 25' CONTRACTOR GRADE NON-LIGHTED END

**#SL725 LINE 866** 





#### SCREWDRIVER SETS

#### **100 PC. SCREWDRIVER SET WITH POUCH**

#W1721 LINE 962

Comfortable non slip molded grips | Chrome vanadium blades and power bits | Satin finish with magnetic tips | Organizing zippered carrying case



FREE STANDING STORAGE/ORGANIZING RACK - features bit storage and removable magnetizer/

demagnetizer | Heat treated alloy steel blades with satin finish, magnetic tips and non-slip molded grips | Most popular Phillips, slotted, star and square sizes

#### **PLIERS**

**LINE 962** 

#### 7" CURVED JAW LOCKING PLIERS

#W30754 LINE 962

Lock, cut and bend with these versatile locking pliers | Chrome vanadium steel construction for added strength | Premium quality drop forged and hardened chrome vanadium steel

#### 10" CURVED JAW LOCKING PLIERS

#W30756 LINE 962

Lock, cut and bend with these versatile locking pliers Triple riveted and welded center point for added strength | Knurled adjustment screw for quick loosening and tightening

#### 6-1/2" LONG NOSE LOCKING PLIERS

#W30758 LINE 962

Lock, bend and cut with these long nose locking pliers | Features integrated wire cutter | Knurled adjustment screw for quick loosening and tiahtenina

#### **4 PC. LONG NOSE PLIERS SET**

#W30714 LINE 962

Extra long handle pliers perfect for hard to reach repair jobs | Ergonomic cushion grip handles with safety rests | High strength drop forged, hardened and tempered steel construction | 11" long nose | 11" 90° bent nose | 11" 45° bent nose | 7" needle nose

#### LI-ION LED RESCUE KNIFE #W9362 LINE 962

Features LED light, glass breaker and carabiner clip 3" straight edge Stainless Steel tanto blade Lithium Ion rechargeable battery and USB recharging cable 7.9" overall length 4.8" closed length



#### COMBINATION WRENCH SETS

22 PC. SAE & METRIC **COMBINATION WRENCH SET** 

/1069 LINE 96

SAE: 1/4" - 5/16" - 3/8" - 7/16" - 1/2" - 9/16" -

5/8" - 11/16" - 3/4" - 13/16" - 7/8"

Metric: 9mm through 19mm


#### 11 PC. SAE COMBINATION WRENCH SET

SAE: 1/4" - 5/16" - 3/8" - 7/16" - 1/2" - 9/16" - 5/8" - 11/16" - 3/4" - 13/16" - 7/8"

#### 11 PC. METRIC COMBINATION WRENCH SET

#W1062 LINE 962

Metric: 9mm through 19mm



#### **8 PC. OFFSET BOX WRENCH SETS**

Drop forged chrome vanadium steel construction | Fully polished finish with 12-point box ends | 60° offset for hard to reach fasteners | Handy storage rack

#### SAE SET

#W1085 LINE 962

Sizes: 1/4" x 5/16", 5/16" x 3/8", 3/8" x 7/16", 7/16" x 1/2", 1/2" x 9/16", 5/8" x 11/16", 3/4" x 25/32", 13/16" x 7/8"

#### METRIC SET

#W1086 LINE 962

Sizes: 6mm x 7mm, 8mm x 9mm, 10mm x 11mm, 12mm x 13mm, 14mm x 15mm, 16mm x 17mm, 18mm x 19mm, 20mm x 22mm



#### 7 PC. FLEX HEAD RATCHETING SETS

Flex head pivots a full 180° for operation at any angle | Low profile head for access in tight spaces | 72 gear teeth for 5° sweep | Drop forged chrome vanadium with mirror polish finish

#W30636 LINE 962

Sizes: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"

**METRIC SET** 

#W30637 LINE 962

Sizes: 10mm, 12mm, 13mm, 14mm, 15mm, 17mm and 18mm



#### 4 PC. FLARE NUT WRENCH SETS

#### SAE FLARE NUT WRENCH SET

#W30430 LINE 962

1/4" x 5/16" - 3/8" x 7/16" - 1/2" x 9/16" - 5/8" x 11/16

METRIC FLARE NUT WRENCH SET

#W30431 LINE 962

9 x 11mm - 10 x 12mm - 13 x 14mm - 16 x 18mm



#### **8 PC. MAGNETIC NUT DRIVER BIT**

#### **SAE SET**

#W9064 LINE 962

Sizes: 6" long x 1/4, 5/16, 11/32, 3/8, 7/16, 15/32, 1/2, and 9/16"

**METRIC SET** 

#W9065 LINE 962

Sizes: 6" long x 7, 8, 9, 10, 11, 12, 13, and 14 mm

# **Uour Choice!**

#### 1/2" DRIVE CLICK TORQUE WRENCH

#### #M200DB LINE 962

Professional style | Chrome plated alloy steel | Compact

size for tight spots | Ratchet style with engraved scale | Nickel chrome plated alloy steel | Size: 1/2" Drive, 10 to 150 ft lbs



\$13.95



#### **SOCKET SETS**

#### 19 PC. 3/8" DRIVE SAE & METRIC SOCKET SET

#W38106 3/8" DRIVE ROUND HEAD RATCHET

#W38301 LINE 962

Socket sizes: 3/8" - 7/8" and 10 - 18mm

#### 5 PC. 1/2" DRIVE THIN WALL IMPACT SOCKET SET

#W32902 LINE 962

Sizes include: 17mm, 19mm, 21mm, 13/16", 7/8'

#### 38 PC. IMPACT SOCKET SET

#M796 LINE 962

Drop forged chrome vanadium steel for strength and durability Large size laser etching for easy identification | Rounded corners for a tighter grip Includes SAE & Metric, deep and standard sizes | Storage / Carrying Case

#### 21 PC, 3/4" DRIVE SAE SOCKET & RATCHET SET

#W34904 LINE 962

Includes 16 sockets: 7/8" - 2"

#### 11 PC. MASTER LUG NUT REMOVER **SOCKET SET**

#M991 LINE 962

Complete assortment of emergency lug nut removal sockets ensure you always have the right size | 1/2" drive | Heavy duty impact-grade



#### 9 PC. MASTER 10MM SOCKET & WRENCH SET

#W39001 LINE 962

Nine different versions of the most popular size socket/wrench on the market | Features deep and shallow wall, universal, and impact sockets in assorted 1/4" and 3/8" drive sizes with a combination wrench



#### **ADAPTERS & FLEX HANDLES**

#### **3 PC. IMPACT GRADE SOCKET ADAPTER SET** #12082 LINE 883

Adapts sockets to power drills and drivers | Includes 1/4" drive and 3/8" drive extension bar | 1/4" shank | 2-3/4" overall length Detent ball for secure socket retention

#### 1/2" DRIVE FLEX HANDLES

#W32120 18" LONG #W32121 24" LONG \$31.95



THE PROPERTY OF

#### **SERVICE CARTS & CREEPERS**

#### **3-SHELF UTILITY CART WITH DRAWER**

#### #W54006 LINE 962

Four swivel casters, plus two locking casters | Organizer shelf with bins Shelf with storage drawer | Two 23-1/2" x 16" tool trays | Foam drawer and tray liner





#### **3-DRAWER ROLLING MECHANIC'S SEAT**

#### W85025 LINE 962

Reinforced seat supports up to 350 lbs 3-drawer tool box with roller bearing slides | Two folding trays with magnetic pads | Rear tray supports screwdrivers and pliers | Vinyl padded seat cushion for max comfort & support | Seat - 16" x 9" | Drawer - 13.5" x 7.75" x





#### **BAR STOOL** WITH SWIVEL SEAT



#### **PNEUMATIC BAR STOOL** WITH SWIVEL SEAT

Pneumatic action adjusts seat height from 26" to 32" quickly and easily 14" diameter synthetic leather foam padded seat with 360° swivel Heavy duty steel tubing frame with matte black powder coated finish | Wide foot stool base comes pre-assembled 330 lb weight capacity









#### **OVERSIZE X-FRAME CREEPER**

5" jumbo swivel casters for use even on cracked and uneven floors Extra wide, contoured pad with 2" thick padding 38" x 14" x 2" 300 lb capacity Low profile design



#### **40" PLASTIC CREEPER WITH 6 CASTERS**

Contoured shape for comfort and easy movement Casters swivel 360° for easy movement | Blow molded base built-in storage tray | Oil and water resistant wheels | Fully padded headrest | 300 lbs capacity | Dimensions: 40" x 17" x 4-1/2"





#### 2-IN-1 40" Z-FRAME CREEPER/SEAT

Easily converts from a creeper to rolling seat for all your automotive and shop needs | Fully padded cushions create a comfortable surface for laying flat or sitting upright | Six shielded 2" swivel casters allow for easy 360° movement and added stability | Creeper mode offers a low profile design that provides improved clearance





#### **DISPOSABLE GLOVES**

#### **DIAMOND GRIP® POWDER-FREE LATEX GLOVES**

**LINE 635** 

Box of 100 powder-free disposable gloves Prevents rips and tears due to thicker fingertips than most standard latex gloves Delivers a secure and dependable grip for rugged work settings especially in oily environments | Allows easy donning and a cooler, drier and more comfortable fit Provides excellent protection for automotive industry applications





#### **BLACK DRAGON ZERO® LATEX GLOVES**

#BD1002NPFM, #BD1003NPFL, #BD1004NPFXL **LINE 635** 

Box of 100 powder-free disposable gloves | Textured fingertips allow a secure grip on tools | Black color masks stains



#### MIDKNIGHT® POWDER-FREE **BLACK NITRILE GLOVES**

**#MK296S, M, L, XL, XXL LINE 635** 

100 count | Provides firm and consistent wet grip due to fully textured design and nonfoaming formula | Distinctive black color hides stains and provides a contrasting backdrop for identifying lighter colored material | Offers a higher tensile strength and flexibility compared to the minimum requirements as set for both ASTM D6319 and EN 455 standards | Contains no natural rubber latex | Powder-free, to help protect against Type 1 skin allergies and irritation



#### SAFEGRIP® POWDER-FREE EXTENDED CUFF LATEX GLOVES

**LINE 635** 

50 count | Three times thicker than standard Latex Gloves | The thickest Microflex® latex glove in the palm and finger areas, for additional protection Provides a secure barrier against harmful chemicals - including solvents Textured fingers for reliable grip in wet or dry conditions, ensuring a consistent, reliable grip | Extended, beaded cuff offers enhanced protection when extra coverage is needed over the wrist and forearm | Pinhole rates well below FDA standards for exam gloves



#### **BLAZE® HIGH VISIBILITY POWDER-FREE NITRILE GLOVES**

**LINE 635** 

Box of 100 powder-free disposable gloves The Blaze®, high visibility orange nitrile glove provides excellent visibility in low light conditions | The durable design with an extended cuff gives better protection against a variety of industrial chemicals for longer periods of time than comparable nitrile gloves Textured fingers for assured, confident grip Works exceptionally well in oily environments Extended cuff for added protection of wrist

and forearm | Certified by the National Fire Protection Association (NFPA)



#### **HEAVY DUTY LATEX GLOVES**

(M) #D0400009100. (L) #D0400010100 **LINE 635** 

100 count | 7 mil | Powderfree | Protect your hands from dirt, grease, oil, and chemicals during messy jobs | Textured grip throughout the palm and fingers ensure you'll have traction with your tools no matter what you're working on

WHILE SUPPLIES LAST



# **MECHANIX WEAR COVERT GLOVES**

#### **FASTFIT®** COVERT

LC 635 Breathable TrekDry® construction | Stretchelastic cuffs create a secure fit | Anatomically designed two-piece palm eliminates material bunching Pinched fingertip construction improves fingertip strength and durability Infused with touchscreen

technology



#FFTAB55010 #FFTAB55011

#### M-PACT® COVERT

LC 635 Thermoplastic Rubber (TPR) impact resistance and pinch-point fingertip protection Breathable TrekDry® Armortex® palm reinforcement | Durable synthetic leather palm infused with touchscreen technology D30® palm padding absorbs impact and

vibration



per pair

#MPT55010 #MPT55011

#### THE ORIGINAL® COVERT

LC 635

Form-fitting TrekDry® helps keep your hands cool and comfortable Adjustable Thermoplastic Rubber (TPR) wrist closures create a secure fit Reinforced thumb and index finger improve durability Touchscreen capable synthetic leather provides the perfect blend of dexterity and durability



per pair

#MG55009 #MG55010

#MG55011 #MG55012

# **SHOP & WORK LIGHTING**

# ZONE

#### MOUNTABLE LED WORK LIGHTS LINE 440

Mounting brackets included | Die cast aluminum housing | Stainless steel brackets | Can be used in multiple applications - boating, mowing, fork lifts, tow trucks, garbage trucks, off road, farming, etc. Wet or dry, rain or shine











#### **MINI SQUARE 775 LUMENS** #BZ601=5

3 LEDs 8.1 Watts 9-32 Volts 2.8" Wide 2.8" High 1.6" Deep

SPECIFICATIONS:





#### #BZ501-5 LINE 440 Powered by six LEDs | 1100 lumens Magnetic base creates a simple

mounting solution, while still allowing for on-the-go mobility | Includes car and wall chargers



#### ROUND **1600 LUMENS** #BZ101=5

6 LEDs 16 Watts 9-32 Volts 4.5" Wide 4.5" High 2.2" Deep



#### SMALL ROUND **1240 LUMENS**

**#BZ1111-5** 5 LEDs 14 Watts 12-36 Volts 2.5" Wide 3.8" High



#### **SLIM 1400 LUMENS** #BZ301=5

6 LEDs 16 Watts 9-32 Volts 6.3" Wide 2" High 3" Deep



#### **SOUARE** 1100 LUMENS #BZ201-5

5 LEDs 11 Watts 9-32 Volts 4.3" Wide 4.3" High



#### 4-IN-1 WORKBENCH POWER STATION

Commercial grade with lighted on/off switches and built in circuit breaker | Instantly adds 120v electrical outlets, USB ports, and additional lighting to your workspace 2 LED lights put out a total of 1000 lumens of 6000K daylight

#### LED WORK LIGHTS

#### **120V 1000 LUMENS LED DROP LIGHT**

All the durability of a traditional drop light with the efficiency of LED technology | Produces over 1000 lumens of bright white light Impact resistant handle with non-slip rubber grip and base hook | Powder coated metal lamp shield with swivel hang hook | 25ft 18GA grounded cord with built-in 120V outlet (600W MAX)







### **LED UNDERHOOD STRIP WORK LIGHT**

\_15-85 C

Innovative design spans hoods over 6 feet wide and wraps up for compact storage | 15" flexible light bar 60 wide angle LEDs provide over 1000 lumens of flood light | Adjustable elastic strap fits almost any size hood | Rubber padded hooks prevent scratching or denting | Powered by dual 18650 2200mAh Li-lon batteries (included) and USB charging cable | High, medium and low beam settings



# **DOUBLE-SIDED LI-ION THIN WORK LIGHT, 800 LUMENS**

15 Amp US8 Ports: ... 5v @ 2.5 A/each as man

Weight ... \_\_6 ft\_14/3 5/T, grounded Dims \_\_27.75 L s 475 W x 2 in D

Double-sided pivoting light bar produces over 800 lumens of light | Thin, low profile light bar body for access in confined areas with spot light at the tip | Swivel hook and magnetic base for hands free use | Built-in rechargeable Li-lon battery





#### **CHARGING BASE FOR #W2240**

.i-ion

**BATTERIES** 

All the durability of a traditional drop light with the

#W2240C LINE 962

Upgrade the charging capabilities for your W2240 LED Drop Light | Screw holes on the back for mounting to a wall Rubber feet on the bottom for added stability



# IGHTS

**FLEXIBLE NECK** 

#### #W2687 LINE 962

Spotlight Runtime ~ 3 Hr Area Light Runtime ~ 10 Hr 3 Hr Charge Time 4.7 oz Micro-USB Recharging Port

#### **DUAL CONTROL**

#### AMBIENT LIGHT

**HANGING HOOK** 

High Runtime ~ 2.5 Hr | Low Runtime ~ 10 Hr | 2 Hr Charge Time | 6.2 oz | Micro-USB **Recharging Port** 

#### VARIABLE LIGHT OUTPUT

Dial Adjusts Intensity from 150 to 600+ Lumens 30 LED Slim Work Light Access in Confined Areas







#W2231 LINE 962

**SLIM PROFILE** 

#### **LIGHTING & FLASHLIGHTS**

#### **INCANDESCENT WORK LIGHT**

#### PROFESSIONAL SERIES METAL SHIELD **INCANDESCENT UTILITY LIGHT**

Galvanized metal lamp shield with rubber tipped hands-free hook 25' 16/3 SJT cord with polarized plug Up to 75 watt incandescent bulb (not included)

**BACK** BAYCO **FRONT** 

#### **LI-ION WORK LIGHTING**

#### 250LM LI-ION LIGHTED SAFETY GLASSES

250 lumen output with extra cushion for extreme comfort and venting | Safety lens with anti-UV, anti-scratch, and ANSI approved impact resistance Detachable cushion insert | Switch from arms to adjustable strap USB-C charging cable included



#### 650LM LI-ION FOLDING HEADLAMP

Folding 650 lumen headlamp has a dial dimmer and an adjustable strap to achieve the perfect fit | Powerful LED strip | Professional grade licensed COB (Chip-On-Board) Strip Rigid ABS frame with elastic strap for a comfortable fit | Frame folds for easy storage | Dial


type dimmer function | Motion sensor mode for touch-free on/off USB-C charging cable included





#W2284 LINE 962

#W2284 LINE 962
Produces 6500+ lumens and fits standard E26
threaded 120V light bulb sockets | Energy efficient
replacement to high output halogen, halide, sodium,
or other incandescent lights | Uses the same energy
as a 60W incandescent light bulb, but produces nearly
8 times the amount of light | Die cast cooling blades
dissipate heat to provide optimal output | Instant on,
no warm up time and dimmable







# 6500 LUMENS 120V LED TRIPOD WORK LIGHT

Complete work light system produces 6500+ lumens Includes 120V E26 threaded ceiling light, 120V adapter with 12ft cord, and 3-section telescoping tripod stand | Energy efficient replacement to high output halogen, halide, sodium or other incandescent lights Uses the same energy as a 60W incandescent light bulb, but produces nearly 8 times the amount of light | Fully adjustable tripod with a height range of 70-200cm (27.5-78.5") and standard 1/4"-20 threaded



#### **FLASHLIGHTS**

#### **1000 LUMENS RECHARGEABLE WORK LIGHT**

#### #431 LINE 962

360° adjustable handle with magnet for hands-free use | Powered by 1800mAh Li-ion polymer rechargeable battery (included) | Recharge time: 3 hours | 3 output settings: 100% 1000 lumens, 50% 500 lumens, 20% 200 lumens | USB micro port (cord included)







#### **LED PEN LIGHT**

#### #W2356 LINE 962

72 lumens, 4.5 hour runtime | Super bright Nichia LED never needs replacing | Anodized aluminum housing with pocket clip | Compact design fits anywhere 3-AAA batteries included



#### FIREPOINT 3-IN-1 UV/LED FLASHLIGHT

Super bright patented Nichia LED | Features UV light and laser pointer | Anodized tactical aluminum housing | UV light great for fluid and glass leak detection, currency detection, and more | 43 lumens, 7.5 hour run time, 41m beam | Includes 3-AAA batteries



#### FIREPOINT XTREME DUTY PEN LIGHT

Adjustable DuoFocus beam goes from spot to flood | Super Bright Cree LED never needs replacing | Anodized tactical aluminum housing | Water and impact resistant | 349 lumens on high. 98 lumens on low, 3 hour runtime on high, 5 hour runtime on low, 88m beam | Includes 3-AAA



#### **LI-ION COMPACT FLASHLIGHT**

Uses professional grade lifetime CREE XTE LEDs | Black anodized aluminum alloy steel construction with IPX4 water resistance | 4-Output Settings: Turbo beam 1200 lumen, 20 second run time (press power button for 2-3 seconds to activate) USB magnetic charge cable included



#### **WIRELESS LED LIGHT BULB WITH REMOTE SWITCH**

#### #713 LINE 962

Grab and go light bulb; actually a flashlight cleverly disguised as a light bulb Stays cool to the touch | Multiple mounting options | Battery powered bulb uses absolutely no electricity Powered by 3-AAA batteries



#### **SPECIALTY TOOLS**

**2 SPEED ELECTRIC HOT AIR GUN** 

#W50076 LINE 962

Powerful heated airflow | Dual temperature control 300° C and 500° C heat settings

#### **CORDLESS HEAT GUN**

#W2082 LINE 962

Most compact cordless heat gun on the market Lightweight enough to carry in your tool belt | Builtin 3.6v. 2.0Ah Li-lon battery has a working time of 15-20 minutes | 600°F Max Temp



#### MINI TUBING CUTTER

#W700C LINE 962

1/8" to 5/8" O.D. range | Small size allows use in restricted areas





#### 1500CC EXTRACTION & FILL PUMP

#W54177 LINE 962

Designed to remove and fill brake fluid, coolant, anti-freeze, gear oil, power steering fluid, and more | Semi-translucent cylinder for viewing exact fluid volume and overall fluid condition



#### **XL C-FRAME BALL JOINT TOOL**

#W89306 LINE 962

Ideal for removing larger ball joints on press-fit ball joints found in pickup trucks and SUVs | Compatible with most other brands of sleeve adapters | 8.75" throat and 11.5" overall length



#### **FLEXIBLE HOSE CLAMP PLIERS**

Allows you to remove metal self-tightening flat type hose clamps | 24" flexible cable allows extended reach to access hose clamps located in hard-toreach areas | Spring loaded ratchet mechanism has multiple stops for less strain and fatigue on the user Removes 11/16" to 2" self-tightening hose clamps



#### **FLEXIBLE HOSE CLAMP PLIERS**

#W80656 LINE 962

Pliers have locking mechanism to hold clamp in the open position, making removal and installation of clamp easier Heavy duty 24" cable flexes to almost any position



#### **MANUAL BUSHING INSTALLER & REMOVAL KIT**

#W89301 LINE 962

Allows the technician or DIY to service bushings without removing the parts, reducing the possibility of damaging the bearings or suspension housings



#### **BALL JOINT SEPARATOR**

#W1206P LINE 962

For many foreign and domestic autos and light trucks Removes ball joint from connecting links Opening size 15/16" (23.8 mm) Drop forged steel

#### **MISCELLANEOUS KITS**

#### **SPIRAL EXTRACTORS AND LEFT** HAND DRILL BIT SET, 10 PC.

Reverse threaded drill bits for tapping broken or stripped screws | Multi-fluted, machined alloy extractors for screw removal Includes durable metal storage box Reverse drill bits: 5/64", 7/64", 5/32", 1/4" and 19/64" | Screw extractors: #1, #2, #3, #4 and #5

#### **VACUUM PUMP KIT**

#W89727 LINE 962

Bleeds brakes, tests vacuum switches and removes fluids | Durable steel construction Includes tubes, various adapters and containers



#### **DOUBLE FLARE TOOL**

#W80670 LINE 962

7 pc. set includes flaring bar, yoke, and 5 double flare dies for tubing sizes: 3/16", 1/4", 5/16", 3/8" and 1/2" O.D. | Easy to use lever lock flaring bar | Floating cone for accurate alignment | Storage case keeps parts organized





#### **PULLERS**

#### HARMONIC BALANCER **PULLER SET**

#W151P LINE 962

Easily removes harmonic balancer | Drop forged alloy steel | Assorted bolts | Helps stop damage to pulley and shaft

#### **SLIDE HAMMER PULLER SET**

#W89725 LINE 962

Slide hammer with multiple attachments | 2/3 jaw internal and external pullers | Rear axle puller | Locking plier adapter Puller hook and dent puller Bilingual instructions



#### **FOLDABLE SHOP STAND**

#W54024 LINE 962

Designed to hold large parts such as bumpers, hoods, doors, fenders, and glass | Heavy duty tubular steel | Thick foam padding protects painted parts and glass from being scratched | Capacity Rating: 500 pounds





#### **CABLE PULLER**

#### 2.5 TON CABLE PULLER

#7067000 LINE 786
All steel construction | Dropped forge hooks with spring action safety latches | Heavy duty cable | Heavy duty ratchet and pawl | | Double hook | Double gear



#### **SPECIALTY TOOLS**

#### **TUBING BENDER**

#W704C LINE 962

Bends tubing up to 5/16" diameter | For copper and brass tubing, brake lines & Bundy welding tubes



# SCISSOR FUEL LINE DISCONNECT

#W83114 LINE 962

For easy fuel filter replacement | Easily separates quick-disconnect style fittings on 5/16" and 3/8" fuel lines



#### **DISC BRAKE PAD SPREADER**

#W209 LINE 962

Compresses inner pad and resets piston for easy pad replacement



#### **30 PC. HEX KEY SET**

#W80288 LINE 962

Alloy steel construction and a bonus plastic holder for easy storage | Set contains: .028" to 3/8" SAE and .7, .9, 1.3, 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8 and 10mm



#### **5 PC. SCREW EXTRACTOR SET**

#73415 LINE 240

Spiral style | Includes #1, #2, #3, #4 and #5 | Removes screw/bolt sizes - 3/32" to 5/8" | Hardened tempered alloy steel



#### 29 PC. DRILL POD SETS

#22529 LINE 240

Brite industrial drill bits feature premium grade high speed steel for general purpose drilling | Ground flats on the shank providing tight chucking, even with keyless chucks



#### #88449 LINE 240

Titanium nitrate coating resists heat and adds lubricity to extend drill life



#### **FEELER GAUGE**

#W125C LINE 962

32 blades | Decimal and metric sizes | Range: .0015" to .035"



#### STRIKING TOOL COMBO

#M7040B LINE 962

Includes 3 lb. sledge and 3 lb. cross pein hammer | Mirror polish heads | Anti-shock cushion grips | Heavy duty fiberglass handles | Drop forged high carbon steel construction



#### PNEUMATIC TIRE BEAD SEATER

#W10012 LINE 962

5 Gal tire bead seater inflator | Heavy duty ball valve on both air inlet and exhaust port | Designed to seat tires on the bead of wheel simply, safely, and quickly Can work on tires up to 24.5"



#### **SPECIALTY TOOLS**

SERPENTINE BELT TOOL

\$3095



#### 12V HEAVY DUTY TIRE INFLATOR

#60404 LINE 962

#00444 LINE 902
Inflates standard car tire in 3 minutes (P195/65 R15 to 35 PSI) | Powerful 12V, 150 PSI compressor | Plugs into 12V accessory outlet | Bright light for emergencies | Accurate, easy to read pressure gauge | Sport ball and raft inflator adapters included



#### 3/8" IMPACT DRIVER

#W2500P LINE 962

Loosens rusty bolts, screws, etc. | Reversible action | Includes 4 bits: #2 and #3 Phillips and 5/16" and 3/8" regular | Handy storage case



#### **4 PC. PRY BAR SET**

#W2020 LINE 962

Plastic grip for comfort | Includes; 8", 12", 18", 24" pry bars | Ground and polished pry bar blade edges



#### 22 PC. TERMINAL RELEASE KIT

#W9053 LINE 962

Contains styles and sizes to fit most domestic and imported cars, trucks, motorcycles, computer wiring harnesses and power supply connector plugs | Remove connector pins safely without damaging wiring harness or terminal block



#### **EXTENDED SCRAPER**

#W233 LINE 962

Great for removing inspection stickers from windshields | 12" length reaches confined areas | Extra blades store in handle



# 3/8" DRIVE 0<sup>2</sup> SENSOR SOCKET

#W1267 LINE 962

Alloy steel construction | Cutaway slot for sensor wire clearance | Removes sensors on computerized engines



#### 9 PC. EXTERNAL STAR SOCKET SET

#W1338 LINE 962

\$**12**95



#### 1/2" DRIVE 36MM AXLE NUT SOCKET

#W154 LINE 962

Heat treated alloy steel | For front end repair on late model vehicles





# **HAND TOOLS & ACCESSORIES**

#### CIALTY TOOLS



#### 7.5 TON HIGH CAPACITY HYDRAULIC CRIMPER #11981 LINE 883

Includes 8 hardened-steel die sets | Powdercoated steel construction | Non-slip handle | On/Off retractor knob | Powerful hydraulic action delivers 70kN (15,736 Lbf) of force for secure crimps Create strong mechanical connections with crisp and sharp corners | Ideal for battery and welding cables | Uses ISO 22 hydraulic fluid

#### 11 AMP 7" VARIABLE SPEED POLISHER / SANDER

Speed control dial | Quick change pad connector | Comfort grip with rubberized pads | Includes D-handle, straight handle, hook and loop disk, polishing bonnet,

#### NON-AEROSOL SPOT SPRAY

Color-coded for easy recognition | 80-150 PSI Refillable | Not for use with paint projects or flammable propellants | Eliminates dangerous or harmful propellants Eco friendly 32 oz max capacity Easy to identify labels for multiple sprayers

**SPOT SPRAY REBUILD KIT** 


and rubber pad

#19420 . . . . . \$16.07

### 2 PC COMBINATION WEDGE & PRY HOOK SET

Non-marring wedge and pry hook tool for all types of trim removal | Prevents scratching and marring surface to surrounding bezels or parts for installation

moldings, door panels, headliners, dash panels, vehicle trim, weather stripping, emblems, panels, bezels, carpets, etc.



# 3 PC AUTOFLEX™ UNIVERSAL JOINT

AutoFlex<sup>™</sup> – engineered to spring back to center Articulates under spring tension providing semi-rigid directional control and accuracy | Includes: 1/4" Drive, 3/8" Drive, and 1/2" Drive pieces





# 171 PC. HEAT SHRINK TUBE ASSORTMENT

UL approved polyolefin heat shrink tubes Operating temperature: -67°F - 257°F | Shrink temperature: Starts at 158°F, ends at 230°F | 2:1

shrink ratio | Maximum electric rating: 600 volts

#### **106 PC. DUAL WALL HEAT SHRINK TUBE ASSORTMENT**

Dual wall | Waterproof polyolefin heat shrink tubes | Operating temperature: -49°F - 257°F | Shrink temperature: Starts at 158°F, ends at 248°F | 3:1 shrink ratio | Maximum electrical rating: 600 volts



#### 3 PC. LOW PROFILE ADAPTER SET

#30936 LINE 883

Impact grade | Detent ball design | Chrome Moly construction | 20% smaller than a regular adapter | Set includes: 3/4" to 1/2" 1/2" to 3/8", 3/8" to 1/4"



20% SMALLER

#### **BIT SETS**

#### 100 PC. **MASTER BIT SET**

#W1389 LINE 962

Includes Phillips, Slotted, Star Drive, tamper resistant Star and Hex, Pozidrive, Square, Spanner, Torque, Tri-wing, Clutch Head, Spline and "y" style bits, etc. Includes bit adapters and magnetic bit holders | Handy blow-molded case

#### **148 PC. MASTER** SECURITY BIT SET

#16148 | LINE 883 Includes Phillips, Slotted, Square Drive, Torx, Pozidrive, SAE and Metric Hex, Tamper Resistant Torx and Hex, Clutch Drive, Spline Drive Spanner, Tri- and Quad-Wing bits | Includes 3-1/2" magnetic and quick release bit holder and 1/4" drive socket adapter

#### **21 PC. TITANIUM COATED DRILL BIT SET**

#W9018 LINE 962

Assorted bit sizes: 1/16" to 3/8" | Great for drilling plastics, wood and metal | Handy storage case

#### 9 PC. TRIPLE **SQUARE BIT SET**

#16138 LINE 883

XZN / Triple Square sizes include

1/4" Dr. M4, M5, M6 & M8 3/8" Dr. M10 & M12 1/2" Dr. MT14, MT16 & MT18

#### **HEX BIT SOCKET SETS**

#W38870 8 PC. 3/8" DRIVE SAE HEX BIT SOCKET SET

8 PC. 3/8" DRIVE METRIC #W38890 HEX BIT SOCKET SET

#### **8 PC. TAMPER RESISTANT STAR BIT SET**

1/4" hex to 1/4" square drive adapter | Heat treated alloy steel Includes storage boot | Sizes: T10, T15, T20, T25, T27, T30 and T40

#### 12 PC, STAR **BIT SOCKET SET**

#W38802 LINE 962

Chrome vanadium steel construction | 1/4" drive - T-10, T-15, T-20, T-25, T-27, T-30 3/8" drive - T-40, T-45, T-47, T-50, T-55 1/2" drive - T-60

Contents: (2) bottles Q-Bond Adhesive (3.5 oz/10 ml), (1) bottle black reinforcing powder, (1) bottle grey reinforcing powder

#### **BLACK CARBON POWDER:**

 Hard plastic, grills, radiators, bumpers, motorcycle fairings lugs, clips and tabs, distributor caps and much more!

#### **GREY ALUMINUM POWDER:**

 Metal surfaces, aluminum, carburetors, motorcycle engines, office equipment, wheel caps and much more!



















#### **EXTENDING MAGNETS & RETRIEVAL TOOLS**

#### **3-1/2 LB POCKET MAGNETIC** RETRIEVAL TOOL

#W1254 LINE 962

Extends to 25" | Handy pocket clip

#### **TELESCOPING SWIVEL MIRROR**

#W1262C LINE 962

2" round mirror with multi-direction swivel for visual access to confined areas | Chrome plated corrosion resistant shaft extends from 11-1/2" to 18" | Vinyl Grip



#### **LIGHTED MAGNETIC PICK UP TOOL**

#W9102 LINE 962

Bright LED light helps you find lost tools and parts | Easily retrieves small objects from confined areas | Extends to over 27-1/2'



#### RAZOR BLADES **FOLDING UTILITY KNIFE**

#65-0203 LINE 136

Comes with 6 blades | Fixed blade design for more powerful cutting | Designed for quick blade changes | Folding design for convenient storage and safety

#### **3-NOTCH UTILITY BLADES**

#APBL8001 LINE 136

Pack of 5 blades | Heavy duty | .025"

#### **ALUMINUM BACK HEAVY DUTY** SINGLE EDGE BLADES, 2 FACET

#APBL7054 LINE 136

.012" heavy duty high carbon steel | Pack of 100 blades | Individually wrapped

#### **ALUMINUM BACK SINGLE EDGE** RAZOR BLADES

#APBL7065DISP LINE 136

.009" high carbon surgical steel | Pack of 100 blades | Single edge razor blade fits most standard single edge scrapers and box cutters



# **BELT SANDER**

AIR BELT SANDER. 1/2" x 18"

#148000 LINE 031

Air-powered belt sander can quickly sand, grind, deburr, blend and remove spotwelds | Lightweight, compact design allows access to narrow spaces Adjustable pivot arm for sanding in different positions | Easily adjust the belt tracking with a turn of a knob | Great for spotweld removal | Grind & remove welds, deburr rough edges, smooth surfaces | Includes (2) aluminum oxide belts | Belt size: 1/2" x 18'





#### **SPECIALTY TOOLS**

#### 1/4" ANGLE HEAD DIE GRINDER

#M656 LINE 962

Comfortable soft touch finish | 90 degree angle head design allows use in confined areas | Includes both 1/4" and 1/8" collets for use with the most popular accessory shaft sizes | Variable speed safety throttle

# **6" HEAVY DUTY DUAL ACTION SANDER**

Rotary and orbital motion produces swirl-free finishes Built-in air regulator for precise speed control | Insulated grip provides added comfort | Great for body work and paint preparation | Works with stick-on adhesive backed sand paper

#### **HVLP GRAVITY FEED SPRAY GUN**

#M710 LINE 962

All-purpose gun sprays primers, base coats & clear coats | 1.5 mm needle & nozzle set with 700cc gravity feed cup | Average air consumption: 7-9 CFM at 15-45 PSI | Fully adjustable spray pattern of 6-8" | Locking pressure regulator with pressure gauge | Includes wall mount hanger, multi-wrench, cleaning brush, socket and fluid filter

#### STUD EXTRACTOR

#W83203 LINE 962

Used to remove seized or broken studs and bolts | Fits all studs 1/4" to 1/2" (6 to 12 mm) | Designed to fit into small areas where studs may be hard to reach Use on a low setting with your 3/8" impact gun | Remove stripped, rusted, broken, or smooth studs | Hex shaft can be used with a wrench, ratchet, or impact tool and

#### 5 PC. TORQUE LIMITING EXTENSION SET

Helps apply torque to the correct tolerances and prevents over tightening | Color coded for easy identification | Heavy duty chrome molybdenum | Includes: 75, 80, 90, 100, 110 ft. lbs. Extension length: 7-5/8" Includes storage / carrying case







#### **IMPACT TOOLS**

#### 20V LI-ION 1/2" BRUSHLESS IMPACT WRENCH

#W7720 LINE 962

Delivers up to 375 ft. lbs. of reverse torque, and features an auto-stop function to reduce the risk of stripped threads Powerful 20V brushless motor | Advanced electronic motor control provides 4-speed/torque settings | Optional auto-stop function works in reverse to deliver full breakaway torque, then stops rotation as soon as the lug nut or bolt breaks loose, preventing bolt stripping and uneven loosening



#### **ROLOC™ BRISTLE DISCS**

2" BRISTLE DISC - GREEN

2" BRISTLE DISC - YELLOW 80 grit

3" BRISTLE DISC - GREEN

50 grit



#### **LINE 642**

**ROLOC™ BACKING PAD** 

2" twist-to-lock pad for bristle discs



# **TESTING EQUIPMENT**

#### DIAGNOSTIC TOOL **CAN OBD2 DIAGNOSTIC SCAN TOOL**

Works with MOST 1996 and later including American, European and Asian vehicles | Supports all OBD2 protocols, including the newer CAN (Controller Area Network) Reads and displays DTC (Diagnostic Trouble Codes) for identification | Turns off MIL (Malfunction Indicator Lamp) | Erases DTC trouble codes and resets the OBD2 system



#### A/C MANIFOLD TEST KIT

#### A/C MANIFOLD TEST KIT R1234YF

Use for testing systems with R1234YF refrigerant | Heavy duty anodized aluminum block with easy grip adjustment knobs Easy to read temperature scales on 3-1/8" gauge face bar, PSI, F°, C° 72" yellow hose with the special 1/2 x 16 left hand acme thread specifically for R1234YF tanks | Optical sight glass for visual verification of refrigerant



#### **BATTERY TESTER**

#BT600 LINE 716

Advanced battery tester for 12V and 24V systems | 3.5' color screen and a built-in thermal printer | Easily view

the battery's condition and print test reports in real-time Reverse polarity protection to prevent improper connections | Measure the actual Cold Cranking Amp capacity of the car's battery, its state of health, and quickly analyze the starter and charging systems



#### **COOLANT SYSTEM TESTER**

#MT300 LINE 658

The professionals' choice when it comes to testing vehicle cooling systems and coolant caps. Ensures an automotive cooling system is operating at the correct pressure for optimal performance. Made from high-quality materials to ensure life-long durability. Designed to not only test the system, but also coolant caps. Provides quick diagnoses of cooling system

#### **Professional Grade**

Manufactured with the highest quality materials from an OE supplier | Tests cooling systems & coolant caps | Provides fast and accurate diagnosis of cooling system issues | Includes the most common radiator and cap adapters | More adapter kits are available



**MOTORAD** 



#### **12V HEAVY DUTY CIRCUIT TESTER**

#28400 LINE 576

Probe, handle, cord and clamp reinforced for extra durability 49" cord

#### ESSIONAL READERS





Engine





DTC Severity



#3030RS LINE 367

Works with any car, light truck, minivan, SUV or hybrid manufactured since 1996 (OBD2) - foreign and domestic Connects to the OBD2 port | 2.8" all-in-one color display screen shows 20 pieces of vital information, including diagnostic trouble code(s) and their definition(s) RED-YELLOW-GREEN LEDs indicate emissions test readiness and alert of pending problems













CAN OBD2 w/ ABS & SRS **DIAGNOSTIC TOOL** 

Reveal the cause of "Check Engine" light warnings on any 1996 and newer OBD2 car, light truck, SUV and even Hybrids | Read and erase ABS & SRS light trouble codes on most OBD2 vehicles | Battery & Alternator tests check the performance of a vehicle's charging system | Oil Reset feature provides step-by-step reset procedures for most 1996 and newer OBD2 vehicles













Engine Braking Data Reset **CAN OBD2 SCAN TOOL** w/ FixAssist® & ABS

Works with any car, light truck, minivan, SUV or hybrid manufactured since 1996 - foreign and domestic | Read and erase ABS trouble codes on most OBD2 Domestic, Asian, and European vehicles | Reset Oil Light on popular OBD2 vehicles | Reset Battery Maintenance Light & Initialization | Stream, record, and graph real-time Live Data and review the data at a later time on the screen

#### **TESTING EQUIPMENT**

#### **INFRARED** THERMOMETER

#W89720 LINE 962

Non-contact | 0-960° F | Laser pointer for accurate use | Backlit screen for use in low light | The distance to spot ratio is 8:1



#### **INFRARED** THERMOMETER

#W89721 LINE 962

-58° - 716° F (-50 - 380° C) | Accuracy +/- 2% Distance spot ratio 8:1 Laser pointer for accurate use Home, auto, and industrial use



#W80579 LINE 962

11" flexible rubber hose | Fits 14 and 18 mm spark plug threads | Checks cylinder compression from 0 to 300 PSI | Equipped with air-hold valve and gauge reset button



#### **POCKET-SIZE** ANTIFREEZE TESTER

Color coded balls for easy readings

#### **DELUXE** ANTIFREEZE TESTER

Easy to read scale & pointer | Freezing to boiling points for anti-freeze, calibrated in



#W50146 LINE 962

2.4" color LCD monitor with 320 x 240 VGA resolution displays real time playback of hard to reach, inaccessible, or out of view areas | Extra-long submersible 5/16" diameter camera features 79" flexible neck and 640 x 480 resolution | In-Plane Switching (IPS) technology delivers better image representation and more accurate color at any angle | 6 white LEDs with 3 brightness output levels



#### **MASTER FUEL INJECTION TEST KIT**

Quickly and accurately diagnose fuel injection problems Adapters for most foreign and domestic fuel systems Includes universal in-line adapter for unique systems



#### COOLING SYSTEM PRESSURE TEST KIT

#W89733 LINE 962

Detects internal engine leaks caused by blown head gaskets and/or cracked block or heads Quickly reveals external cooling system leaks Kit includes high quality hand pump and 12 adapters to fit the most popular domestic and import cars and light trucks



#### TURBOCHARGER SYSTEM LEAKAGE TESTER

#W89748 LINE 962

Designed to charge the turbo system with regulated, low-pressure shop air to find a potential leak | Locate air leaks in turbo system components by plugging the intake inlet and the output side of the turbo | 4 pairs of stepped adapters to fit most turbo systems on cars and light trucks Can also be used on cooling system hoses | Step adapters range from 1-3/8" to 3-1/2" Includes handy storage case





#### **DIGITAL AUTOMOTIVE MULTIMETER**

Performs all standard automotive electrical tests on the car or bench troubleshooting | Measure and set typical automotive functions with the tach and dwell setting | Test electrical components for faulty wiring and voltage Check starting, charging and fuel delivery system voltage, and diode function | Extra-large easy-to-read digital LCD | UL listed leads and probes Automatic reverse polarity indication | Overload protection on all ranges Test Leads are 42" or 3.5' long



#### 4" CARBON FIBER **DIGITAL CALIPER**

Lightweight and durable carbon fiber construction | Measures outside and inside dimensions 0" to 4" SAE by 0.01" increments,

and 0mm to 100mm metric range by 0.1mm

increments | Large easy to read LCD display | Accurate to ± 0.01" (0.2mm) | SAE to metric conversion | Zero setting at any position within measuring range Uses (1) LR44 battery (included)



#### **6" STAINLESS STEEL DIGITAL CALIPER**

Measure outside, inside, step and depth | Digital caliper has a 0-6" range (0-150mm) and zeroes at any position within measuring range Battery included | Features thumb wheel with lock and SAE to Metric conversion



# **CHARGERS, STARTERS, MAINTAINERS, INVERTERS & SAVERS**

#### CHARGERS & STARTERS

#### **600 PEAK AMP LITHIUM ION JUMP STARTER / POWER PACK**

#### #SL1314 LINE 806

For emergency jump start and charging portable electronics | Quickly jump start vehicles | Great for power sports, motorcycles and 4-6 cylinder cars | Lithium Iron Polymer battery | Provides longer life and more charge cycles | Safe smart cable/clamps | Spark-free protection against overcurrent, short-circuit, overload, overvoltage and overcharge | Compact design with soft-touch finish | 2.1A + 1A USB ports | 2X faster charging for all USB devices, including smartphones, mp3 players and tablets | Built-in 3-mode LED light | DOE compliant Contents: (1) SL1314 jump starter/power pack (1) SA858 Smart cable with clamps (1) USB to Micro USB charging cable (1) Travel bag (1) manual



#### 900 PEAK AMP PORTABLE JUMP STARTER

900 Peak Amps / 400 Cranking Amps | 300 PSI Air Compressor / Inflator | 24" inflator hose | Two 12V power adapter outlets | Automatic shut-off | On/Off safety switch for jumper cables | Equipped with 12 Volt, 12AH sealed lead acid battery USB charging port



#### **FULLY AUTOMATIC / MANUAL 10/2 AMP 12V BATTERY CHARGER**

#### #SC1339 LINE 806

Microprocessor controlled - automatically adjusts the amperage rate to charge and maintain | Features multi-stage charging and auto-voltage detection for added precision, safety and battery life | Charges 12V Standard, AGM and Deep-cycle batteries | Reverse hookup protection



A popular choice for repair professionals! Built using high-output AGM (absorbed glass mat) technology. Convenient built-in 3 amp automatic charger. Plugs directly into a household extension cord with no special adapters. Digital display allows you to view vehicle battery voltage and percentage of charge of the internal battery pack. All models use a corrosion proof polypropylene vented case with a unique high-impact rubber base making them extremely durable, includes reverse hook-up alarm, single on/off switch and heavy duty clamps with replaceable copper jaws inserts.



45 · 3.2 · 3.2 · 3.2 · 3.2 · 3.2 · 3.2 · 3.2 · 3.2 · 3.2 · 3.2 · 3.2 · 3.2 · 3.2 · 3.2 · 3.2 · 3.2 · 3.2 · 3.2		MITALINA ASS		Barrier A Table
MODEL	#DSR165	#DSR168	#DSR119	#DSR166
Peak Amps	2200	2000	1800	4400
Output Voltage	12V	12V	12V	12V & 24V
Cranking Amps	525	500	280	750 (12V)/475 (24V)
Cold Cranking	350	325	225	525 (12V)/350 (24V)
Cable Length	60 <sup>n</sup>	60 <sup>11</sup>	28 <sup>m</sup>	60 <sup>n</sup>
Cable Gauge	4 AWG	4 AWG	4 AWG	2 AWG
Sale Price	<b>\$187.48</b>	\$199.92	\$129.92	\$429.92

#### **1500 PEAK AMPS 12V JUMP STARTER**



PRICE DROP 1500 Peak Amps / 400 Cranking Amps | ES Series battery designed specifically for vehicle jump starting Automatic recharging | LED battery status indicator 43" #4 AWG cables Industrial-grade Hot Jaw™ clamps DC outlet to power 12 Volt accessories

#### 6/2/40/200A 6/12V FULLY AUTOMATIC **BATTERY CHARGER/ENGINE STARTER**

#### #SC1353 LINE 806

Built for extreme engine starting & battery charging | Auto voltage detection | Automatically adjusts the amperage rate to maintain an ideal charge



#### **250A 6/12V BATTERY CHARGER AND ENGINE STARTER**

#### #SC1325 LINE 806

Charges standard, AGM, Gel and deep-cycle batteries 250A Engine Start - powerful enough for SUVs, trucks and large engines 40A Boost mode - quickly brings deeply discharged batteries back to life Microprocessorcontrolled - automatically adjusts amperage rate, to charge and maintain | Multi-stage charging - for added precision, safety and battery life

#### 250A 12/24V PROSERIES WHEEL BATTERY PRICE DROP **CHARGER AND ENGINE STARTER**

#### #DSR123 LINE 806

125/275A engine start and 20A/60A quick boost modes | 4A charges and maintains small batteries Digital display with LED indicators and touch pad controls for easy use | Fully automatic microprocessor control prevents overcharging | Compatible with standard, deep cycle, AGM and gel cell batteries





#### **AUTOMATIC BATTERY CHARGER**

#### **15A 6V/12V FULLY AUTOMATIC BATTERY CHARGER**

#SC1359 LINE 806

15A Rapid Charge | 3A maintain for automotive and marine batteries Microprocessor controlled | Automatically adjusts the amperage rate to charge and maintain | Multi-stage charging for added precision, safety and battery life | Auto voltage detection | 6 or 12 volt



#### **POWER INVERTERS**

#### 410 WATT/820 PEAK POWER CONVERTER

For Mobile Entertainment & Electronics

#XI41B LINE 806

Converts vehicle power to 120V AC household power | Compatible with all smart phones, tablets and USB devices 2A USB port - 2X faster Surge protection - Protects against damaging current fluctuations | Built-in, high-speed cooling fan | Easy to use - plugs into vehicle's accessory outlet or connects directly to battery with clamps

#### **750 WATT POWER INVERTER**

#PI-750 LINE 806

800 watt peak surge power | Built-in, high-speed cooling fan, helps keep the unit cool | On / off switch and LED indicator | Heavy duty clamps connect directly to vehicle battery



#### **MAINTAINERS / CHARGERS**

#### **24W SOLAR BATTERY MAINTAINER**

#SP-200 LINE 806

Trickle charges 12 volt battery | 2.4 watts max | Works under cloudy conditions | Environmentally safe and no power needed (4) Mounting screws included

#### 1.5A 6/12V FULLY AUTOMATIC **BATTERY MAINTAINER**

#SC1355 LINE 806

Automatically adjusts the amperage rate to charge and maintain | Multi-stage charging for added precision, safety and battery life | Float mode monitoring | Automatically maintains optimum battery charge | Auto voltage detection | Quick-connect harness | Charging status LED indicator | Reverse hook-up protection | DOE compliant



#SC1300 LINE 806

Charges 6V and 12V batteries | Auto voltage detection for 6 or 12 volts | Features multi-stage charging and auto-voltage detection for added precision, safety and battery life | Reverse hookup protection ensures charger will not operate if clamps are reversed LED indicators and button controls on dash for ease and accuracy



#SP1356 LINE 806

Use with 6 and 12 volt batteries | Scrolling display messaging displays step by step instructions to properly charge your battery



#### **BOOSTER CABLES**

#### 4-GAUGE **PROFESSIONAL** E-Z REACH™ BOOSTER **CABLES**

**LINE 351** 

Made with 100% copper conductor wire and features the heavy duty E-Z Reach™

#00170 16' LENGTH \_\_\_

#00159 20' LENGTH \_\_\_\_

#### **10-GAUGE STANDARD BOOSTER CABLES**

#00153 LINE 351

12' length | Cables are made of 10-gauge 100% copper conductors | Tough vinyl insulation, with tangle-free dual cable construction and color-coded clamps



Desker.

#### 12V HEATER/DEFROSTER/LIGHT

#W5009 LINE 962

Use this compact 12 volt heater to guickly defrost / warm windshields and surfaces | 360° swivel base for dash mounting | Swing-out handle lets you use the heater as a spot defroster | Separate switches for heater, fan, and LED flashlight | Three position heat switch 15 amp in-line blade fuse

#56000

#### HORNS

**LINE 827** 

BACK-UP ALARM, 12-24 VOLT AM-80 TRUMPET SERIES; HIGH NOTE\_

AM-80 TRUMPET SERIES; LOW NOTE

FREEWAY BLASTER; EXTRA LOUD; HIGH NOTE

FREEWAY BLASTER; EXTRA LOUD; LOW NOTE \_

MEDIUM/LOW NOISE SURROUND BACK UP ALARM \_ \$42.67



#### TAPE

LIQUID ELECTRICAL TAPE #W502 LINE 962

ELECTRICAL TAPE

#2030 LINE 233 **CLOTH DUCT TAPE** 2" x 30 yards

#6520 LINE 233 **TEFLON TAPE** 

1/2" x 520"



# **LISLE SPECIALTY TOOLS & KITS**

#### **HEX & TWIST SOCKET SET, 8 PC**

Used for installation and removal of damaged or corroded nuts | Double-ended design features a 6-point hex on one side and left-hand twist spiral with sharp edges on the other side, that firmly bit stripped nuts without slipping | Impact rated sockets | Includes: 3" long 1/2" drive extension, 17mm, 18mm, 19mm, 21mm, 22mm, 24mm, and 27mm





#### **DISC BRAKE PISTON TOOL**

#### #28600 LINE 576

Rotates piston back into the caliper when replacing pads | Used on vehicles with four wheel disc brakes | Fits most domestic and some import applications Use with 3/8" drive ratchet and extension



#### MANIFOLD DRILL TEMPLATE KIT

#### #68500 LINE 576

Designed to remove broken exhaust manifold studs on 4.6L, 5.4L, and 6.8L V10 2-valve and 3-valve Ford Triton engines without damaging the cylinder head | Interchangeable plates and alignment pins help center drill on the broken stud



#### **U-JOINT PULLERS** LINE 576

Quickly and easily removes sealed U-ioint caps without damage to driveshafts, yokes, or bearing caps

#42890 SMALL, 1" - 1.25"\_ \$63.99

Works on cars, light-duty trucks, and ag equipment with 1" to 1.25" bearing caps

#42900 MEDIUM. 1.25" - 1.7"

Works on cars, medium-duty trucks, ag equipment, and light industrial vehicles with 1.25" to 1.7" bearing caps



#### STRETCH BELT REMOVER/INSTALLER

#### #59370 LINE 576

installation

Removal and installation of most stretch belt applications | Do not attempt to install by prying the belt onto the pulleys | Can be used on the front or back side of the pulley | Unique magnetic faces hold the tool in place on the pulley and helps prevent damage to belt or pulley during removal or

# **ELECTRICAL DISCONNECT PLIERS, 60°**

Easily removes locking push tab style electrical connectors found on mass air flow sensors, fuel injectors, ignition coils, and other applications Use the hook on the end of the pliers to pull out tab to unlock the connector, then use the point to engage the tab



Removes many single and double connectors found on many cars, trucks, and heavy-duty vehicles | Narrow knurled tips provide extra grip when removing connectors in tight spaces



Designed for slitting the outer sheath of wire loom without damaging inner wires | The sickle hook-shaped blade is made of high-quality stainless steel | Sliding guide block at the tip of the blade helps prevent damage to wires | Cuts on the pull and push stroke Can also be used to strip large diameter cable | 7" overall length



#### A/C FUEL LINE DISCONNECT SET

#### #37000 LINE 576

Set of six tools which disconnect the spring lock couplings on Ford and Chrysler air conditioning lines | Also works on fuel line quick connect couplings found on GM, Ford, and Chrysler | The 5/16" size fits on push lock connectors found on Ford radiators and transmission lines | Set includes six sizes: 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8"

#### **DEEP HOLE ALUMINUM HEAD M14X1.25 SPARK PLUG HOLE REPAIR KIT**

Replaces stripped spark plug threads in aluminum heads with 14mm spark plugs Installs a new solid steel spark plug thread insert in original thread location | Includes four insert sizes: 5/16", 7/16", 11/16" and 1" (new size)



#### **NO SLIP PULLEY PULLER / INSTALLER**

Removes and installs pressed on power steering, alternator and air pump pulleys without slipping The unique puller body completely houses the pulley hub to prevent slipping on even the tightest pulleys Fits most domestic models including GM 3.1 and Quad 4 engines | Works on traditional V shaped pulleys and serpentine belt system pulleys | Also works faster than other conventional pulley pullers

#### **HEAVY DUTY INTERNAL / EXTERNAL SNAP RING PLIERS**

Conical tip ends prevent snap ring from slipping off tips Includes ten tip sets in handy plastic pouch

#### STONE-TYPE GLAZE BREAKER

Operated with any electric drill | Furnished with 3" long 220 grit stones | Full 2" to 7'

#### **HANDY PACKER BEARING PACKER**

Quickly flushes out old grease and repacks bearings with less mess | Works on bearings up to 3-1/2" O.D. | The grease stays in the tool cavity, not on your hands



#### TAP SOCKET SET, 11 PC

Ideal for use in areas where a T-handle won't fit | Set of 11 sockets fit all number and fractional taps through 1/2" and 1/8" NPT taps manufactured to MCTI standards | Also fits metric taps through 12mm manufactured to MCTI standards #2+, #3+, and #6- sockets can

be used on non MCTI taps



#### **COMBUSTION LEAK DETECTOR**

#### #75500 LINE 576

Checks for combustion leaks caused by bad head gaskets, cracked blocks and cracked or warped heads | Fluid changes from blue to yellow when exposed to combustion gases from radiator Connect hose to any vehicle vacuum line or on tools made after June 2002

#75630 REPLACEMENT FLUID



# **SPECIALTY TOOLS & LINCOLN**

#### **FILTER WRENCHES**

#### **SWIVEL GRIP OIL FILTER WRENCHES**

Handle swivels to clear obstructions | All models feature the swivel handle. gripper "teeth" and 1" wide stainless steel band | The swivel handle makes it easy to turn the filters in hard to reach locations | Vinyl covered handle



PART #	DESCRIPTION	RANGE	PRICE
53200	John Deere	4.75"-5.1875" (120.7-131.8 mm)	\$17.95
53250	Large Swivel Grip	4.125"-4.5" (104.7-114.3mm)	\$14.95
53500	Standard Swivel Grip	3.5"-3.875" (88.9-98.4mm)	\$ <b>12.98</b>
53700	Small Swivel Grip	2.875"-3.25" (73-82.5 mm)	\$11. <b>99</b>
54400	Swivel Grip Oil/Fuel Filter Wrench	2.375"-2.625" (60.3-66.7 mm)	<sup>\$</sup> 15.49

#### #61460 21 PC HD END CAP WRENCH SET

A collection of 21 end cap filter wrenches for use on the most popular domestic and import vehicles, including four new sizes | Hardened steel plates are wire and spot welded for strength

#61560 CAP FILTER WRENCH \$8.49

74/76mm diameter 15 flutes

#61600 CAP FILTER WRENCH

65mm diameter 14 flutes



#### "BIG RANGE" FILTER WRENCH

Adjusts quickly to fit any spin-on oil filter up to 6" diameter Use with 1/2" drive to 3/4" wrench | Strong nylon belt

#### IMPORT CAR FILTER WRENCH

Removes oil filters from 2-1/2" to 3-1/8" in diameter | Works in tight spots from the front of the filter using 3/8" drive



#### CANISTER TYPE OIL FILTER WRENCH

Filter canister wrench for Toyota, Lexus, and Scion | Heavy gauge steel construction | Six cut-outs to engage the tabs on the filter canisters | Use a 1/2" drive ratchet or 21mm hex wrench



#### OIL FILTER PLIERS

Self-adjusting spring tension automatically adjusts to the proper size | Wide jaw design offers a wide range capacity from 2-5" (51-127mm) Heavy-duty riveted layered steel construction with comfortable molded grips | Thin profile allows access into confined spaces



#### **CAR CARE OIL CHANGE STATIC CLING**

Roll of 250 static cling oil change stickers



#### RADIATOR GENIE

Water and air cleaning wands for high efficiency cooling systems and all types of radiators and other hard-to-reach places Fast and easy adjustable pressure cleaning wands



#### **USED OIL RECEIVER**

#3601 LINE 579

Designed to provide an affordable option to draining, transferring and evacuating used oil quickly and safely | All-steel design | Reinforced caster supports for durability and dependability 18-Gal tank includes preset air regulator that allows the use of standard shop air up to 150 PSI | 14" telescoping bowl with a height adjustment range of 45" - 72" | Reinforced dispensing hose doubles as sight gauge to prevent overfilling | Includes safety valve

#### **SPECIFICATIONS**

- **CAPACITY:** 18 Gal (68 L)
- FLUID TYPES: Motor oils, transmission

fluids, power steering fluids

• WEIGHT: 66 lbs. (30 kg)

#### **NNELS & DRAINS**

#### **MAGNETIC FUNNEL HOLDER**

Translucent funnel holder accommodates various style and size funnels and stores the funnel without a mess | Two strong neodymium magnets hold the funnel on ferrous metal surfaces without slipping | Holder collects residual fluids



#### TRANSMISSION DRAIN FUNNEL

Heavy-duty plastic lift drain funnels extend the catch area of any lift drain | The funnel catches any loose parts | Flexible, if run over it will return to its original shape | Dimensions, 22" x 23'



#### **NO SPLATTER PAD**

#38750 LINE 576

15" Round Use in oil lift drain to eliminate oil splatter

#38780 22" NO SPLATTER PAD\_\_\_\$24.99



#### **8G OIL LIFT DRAIN**

Reinforced base will not warp with hot oil Has a wide working range from 35" to 70" | Its lower center of gravity increases stability and (4) 2-1/2" ball bearing wheels swive and roll easily



#### **6 QT OIL DISPENSER**

Marked in both quarts and liters | Flexible 8" pouring spout enables easy transfer of liquid | White spout

#19702 8 QT OIL DISPENSER WITH CAP & LID



The E adapter is used on the surge tanks on many Ford applications 45° elbow allows use on radiator caps that are placed at an angle | Extension allows access to caps located under shrouds or in fender wells



# BEAPART OF THE WINNING TEAM!

Ask Your Local Federated Auto Parts Representative About the Benefits of the Federated Car Care Program.

- Free Nationwide Roadside Assistance Program
- ASE Certification Reimbursement
- The Group Training Academy

- Nationwide Repair Warranty Program
- Federated Road Hazard Insurance
- AutoPass Consumer Credit Card

Plus, discounted access to national programs like Identifix®, Cintas®, AutoNet TV®, BusinessVoice®, Epicor Service CRM®, Diagnostics Hotline®, Staples® Business Advantage and more!



# 

The Federated Roadside Assistance Program Just Got Even Better!





Federated Roadside Assistance benefits now reimburse up to \$12500 per occurrence and coverage has been extended to 365 days!

See your Federated Auto Parts representative for more information.

#### **EXTREMELY FLEXIBLE HYBRID HOSES**

#### 3/8" x 50' HYBRID **AUTOMATIC HOSE & REEL**

#M613 LINE 962

Retractable reel with fully enclosed case Automatic roller guide ensures smooth and even recoil | Bend restrictors at each end for long life 1/4" NPT brass fittings Max working pressure: 300 PSI | Burst pressure: 600 PSI



#### 3/8" x 50' HYBRID AIR HOSE

Extremely flexible blend of rubber and PVC | Bend restrictors at each end for long life | 1/4" NPT brass fittings | Max working pressure: 300 PSI | Burst pressure: 600 PSI

# ELEVALUES.

#### **ZILLA REEL™** 3/8" x 50' RETRACTABLE **AUTOMATIC AIR HOSE & REEL**

#L8611FZ LINE 716

Latching zone locks quickly and easily | Multi-position release ratchet allows appropriate amount of hose to be extended for each job site | Includes 3/8" x 50' Flexzilla Premium hose and 1/4" MNTP x 5' lead-in hose

#### 3/8" x 50' PRO AIR HOSE

#HFZP3850YW2 LINE 716

Field repairable | Extreme all-weather flexibility Lays flat, no memory | Superior

bend radius | Kink resistant under pressure | Max. working pressure at 70° F: 300 PSI Includes spiral bend restrictors for increased flexibility



#### **COUPLERS & TIRE REPAIR** #12-085 **UNIVERSAL CEMENT - 4 OZ CAN** #12-086 **LINE 231 UNIVERSAL CEMENT - 8 OZ CAN** \$12.95 **BEAD SEALER - QT CAN WITH BRUSH IN CAP** #12-090 **LINE 231** \$34.95 "IM" STYLE 1/4" MALE NPT\_ **LINE 912** PLUG; 1/4" MALE NPT #12-325 **LINE 912** \$1.99 #13-201 **LINE 912** COUPLER/PLUG SET; 1/4" FEMALE NPT AND \$7.89 1/4" MALE NPT #13-235 **LINE 912** "IM" STYLE 1/4" FEMALE COUPLER\_ \$7.58 #13-301 **LINE 912** "A" STYLE COUPLER SET \$8.99 **LINE 912** #13-335 **COUPLER; 1/4" FEMALE NPT** \$8,49 #15-162 **LINE 231 HEAVY DUTY RADIAL REPAIR KIT** \$8.99 #15-184 **LINE 231** 4" RADIAL INSERTS - BOX OF 20 #15-206 7" REPAIR STRING **LINE 231** \$10.95 #17-235 TIRE MARKING CRAYON **LINE 231** \$1.69 **DELUXE INFLATOR GAUGE** #17-850 **LINE 912** SNAP-IN VALVE FOR .453 RIMS; 1-1/4" #30-413-2 **LINE 231** TIRE TREAD GAUGE

#### **AIR GUN & WAND**

#19992 (24") LINE 883

# LINCOLN RETRACTABLE AIR HOSE ASSEMBLIES #83753 (3/8") #83754 (1/2") LINE 579

# LINCOLN

- Heavy gauge, all steel
- construction

#### Heavy duty rubber air hoses

#### **EASE OF INSTALLATION**

- Slotted mounting base for easy attachment to ceiling, walls, work
- Five position adjustable
- benches
- outlet roller arm

#### **SPECIFICATIONS**

MAXIMUM AIR FLOW

• ASSEMBLY

DESCRIPTION	50' of 3/8" air hose	50' of 1/2" air hos
INLET/OUTLET CONNECTION	1/4" NPT	1/2" NPT
MAXIMUM PRESSURI	= 300 PSI	300 PSI

25 CFM

Bare hose reel

Ball stop

**RELIABLE** 

50' delivery hose

Spring-powered

MODEL 83753 MODEL 83754

automatic recoil

Angled hose guide for

Eight position ratchet

smooth, parallel hose

pull-out and retraction

gearing locks the reel at the desired hose length

#### **11G PORTABLE AIR TANK** #W10011 LINE 962

11-gallon air tank with a safety pressure bypass valve and an on/off air adjustment dial | Includes air hose and tire air chuck | 125 PSI maximum

Light weight, portable with handle for easy transport

3/8" AIR HOSE, 25

#538-25 LINE 880

3/8" AIR HOSE, 50

# 1/4" x 25' RECOIL AIR HOSE

Nylon Recoil Hose retains its self-coiling properties and stores itself when finished Can be used with all air-powered equipment Swivel end fittings reduce hose twist Temperature range: +32° F to +120° F One year warranty

#### <mark>48" x 3/8" ultra</mark> air™"Whip" hose

#57L-48B-RET LINE 912

Rubber/PVC hose blend has 1/4" NPT fittings. Hose is lighter weight and more flexible because of its hybrid construction. Hose protects coupler from vibration and impact and reduces twisting and kinking.



# **FUEL CANS, FUNNELS & GREASE GUNS**



#7610 5 GALLON AUTO SHUT OFF KEROSENE CAN -#8610 5 GALLON AUTO SHUT OFF DIESEL CAN -

#### **DRIP & DRAIN PANS**

#### 20 QT LESS MESS DRAIN PAN™

#42010 LINE 200

Reduced splash | Wider catch radius for large oil changes and radiator flushes | Nestable design delivers more profit from less shelf space



#### **15 QT OIL RECOVERY DRAIN PAN**

#11838 LINE 200

Large capacity holds multiple oil changes | Handle and spout for easy carrying and pouring control | Built-in groove to drain filter



#### **16 QT DRAIN CONTAINER**

#42003 LINE 200

Stores upright or flat without leaking | Integrated handle and grip for easy carrying and handling | Extended design captures the full stream of oil eliminating messes



#### **LARGE DRIP PAN**

**#AT20 LINE 233** 47" x 25" – 1/2" lip

\$**55**<sup>70</sup>



# #05060 #05034 SUPER FUNNEL; 17.75" x 5" x 5" x 5" \$1.99 #05060 HAND-E GRIP FLEX FUNNEL \$3.77 #05064 LARGE FUNNEL; 8.75" x 7.5" x 7" \$1.41

#06064 TRANSMISSION FUNNEL; 6.5" x 5.5" x 18.5"



(Inflation needle not included)

# **GREASE GUNS, FITTINGS, & TRANSFER PUMPS**

# GREASE GUNS & DRUM PUMP LEVER ACTION GREASE GUN

#### #W54202 LINE 962

Chrome plated finish for long service life | Short stroke for easy use in tight spaces | Accepts standard 14 oz cartridge or bulk loading | Vented zinc die cast head cap

PISTOL GRIP GREASE GUN

#### #W54204 LINE 962

Develops up to 3,000 PSI working pressure Heavy duty 12" flexible nylon hose Air bleeder valve Accepts standard 14 oz cartridge or bulk loading

#### PROFESSIONAL BARREL PUMP

#W54267 | INF 962

Lever style barrel pump with non drip spout | Equipped with brass rings and a floating piston design | Designed to pump all lubrication based fluids, antifreeze, agricultural and industrial non corrosive fluids



#### **20V CORDLESS HIGH VOLUME GREASE GUN**

#### #W7721 LINE 962

20V motor and high-volume pump deliver up to 10 oz per minute and a maximum pressure of 10,000 PSI | Variable 5-speed selector dial gives you the control of using maximum pressure when dealing with clogged/jammed fittings or maximum flow rate for high-volume applications | Holds all standard 14 oz grease cartridges and can hold



#### **GREASE GUNS**

#### **AIR OPERATED GREASE GUN**

#1162 LINE 579

Fully automatic, pneumatic grease gun with variable-speed trigger | Patented anti-cavitation pump | 6000 PSI greasing capability | Air operating range 40-150 PSI | 30" high-pressure hose

# EXTRA HEAVY DUTY PISTOL GRIP GREASE GUN

#1134 LINE 579

Develops up to 7500 PSI | Jam-proof handle return mechanism | Includes both heavy-duty 18" flexible hose with coupler and rigid 4" tube | Filler nipple / bleeder valve combination



#### **20V LITHIUM ION POWERLUBER KIT** #1884 LINE 579

The most advanced grease gun in its class!

- Two-speed design 3 oz/min. (low), 6 oz/min. (high)
- Comfortable over-molded grip
- · Easy to use Balanced and lightweight
- Lithium technology
- Three times more charge cycles than NiCad battery



#### **HOSES, COUPLER & FITTINGS**

# 12" HEAVY DUTY FLEXIBLE GREASE GUN HOSE

#10-212 LINE 738

For use on hand-operated grease guns only Steel 1/8" NPT male fittings on each end

# 18" HEAVY DUTY FLEXIBLE GREASE GUN HOSE

#10-219 LINE 738

For use on hand-operated grease guns only Steel 1/8" NPT male fittings on each end

#### STANDARD COUPLER

#05-031 LINE 738

Standard jaw-type coupler features a springloaded ball check valve | Fits 1/8" NPT threads | For hand-operated equipment only

#### **GREASE GUN INJECTOR NEEDLE**

#05-037 LINE 738

Lubricates in very tight places such as universal joints and sealed bearings | Tempered steel 18 gauge x 1-1/2" long needle | For hand-operated equipment only



#### **QUICK RELEASE GREASE COUPLER**

#W54238 LINE 962

Reinforced jaws and quality sealing gasket ensure long lasting and stable performance, prevent leakage even at 12,000 PSI extreme pressure | Heavier and stronger than most other grease couplers on the market | A smooth retraction mechanism allows one-hand operation

#### 70 PC GREASE FITTING ASSORTMENT

#W5215 LINE 962

Contains 9 various popular sizes of grease fittings | Convenient re-sealable plastic case





Dispenses 9 Ounce per Stroke Excellent for DEF (urea), water base and acidic solutions such as anti-freeze, machine oil, petroleum, thinners, windshield washer fluid. Chemical resistant Polypropylene construction with self-adjusting telescopic suction tube. Fits 5 to 55 gallon pails/drums.



#55-156



# WELDING EQUIPMENT

#### WELDERS

# EASY WELD 140 MP (MULTI-PROCESS) WELDER, 120V

control | Constructed with an all-metal case, built tough to take on the day to day | All you need to operate this machine is a 120V power source | Multi-Process Welder: MIG/DC TIG/ Stick welder (TIG torch not included) | Includes: 10ft MIG gun, 8ft electrode holder, 8ft ground clamp, 20A-15A adaptor and one additional .030 in contact tip | Welds up to 1/8" stick electrode



## 190 AMP ~ MULTI-PROCESS AC/DC WELDER KIT

One of the most versatile machines on the market and comes out of the box ready to weld virtually anything | Processes: AC TIG (AC GTAW), DC TIG (DC GTAW), TruSet™ MIG (Synergic GMAW), MIG (GMAW), Flux-Core (FCAW), Stick (SMAW) | Set & Forget Despooler technology | Pulse TIG technology excels on thin and/or heat sensitive materials, such as aluminum | Dual-Gas Input: Separate MIG & TIG gas inputs | Dual-Voltage: 120V and 240V | Includes: Foot pedal, TIG torch, Euro connect MIG gun, 6' gas hose, flowgauge regulator



#### MIG WELDER, 120V

#309 LINE 390

Euro connect torch with Tweco® style consumables | Fast disconnect to swap out torch, clean liner | 10ft MIG gun | Processes: MIG (GMAW); Flux Cored (FCAW) | High-duty cycle of 115A @ 20%, 90A @ 35%, 60A @ 60%, 55A @ 100% | Amperage Range: 30-140A | Wire Diameter Range: .024 in - .035 in | Plate Thickness Range: 24 ga. - 1/4" | Runs off of household 120V power | Includes: MIG gun with 10' lead, 10' ground cable & clamp, gas hose and regulator



#### SHOP FLAME MEDIUM DUTY TORCH KIT

Cuts up to 150 mm (5.91") and welds up to 9 mm (0.35") with proper tips | Cuts up to 5 mm (0.20") and welds 1.98 mm (5/64") right out of the box | Ideal for general maintenance medium-duty fusion welding, braze welding, brazing, hand cutting applications, HVAC, and automotive repair | 250-series regulators | 100-series torch handle | 1350-series cutting attachment | Accessories included: 50 mm (1.97") cup type shade #5 goggles, round single flint striker, 13-piece tip cleaner and plastic carry case



#### 4-1/2" CORDED ANGLE GRINDER

#1905 LINE 390

Versatile and ideal for most cutting, grinding, and polishing applications on metal, wood, and masonry surfaces | Can accommodate

4-1/2" sized wheels



#### 14.1 OZ PROPANE HAND TORCH CYLINDER

In-Air Flame Temperature of 3,600°F

#### **E71T-GS SELF. STEEL FLUX-CORE WELDING** WIRE. .030" DIAMETER

Ideal for all-position welding, and best suited for single pass applications with high travel speed 70,000 psi tensile strength | Self-shielded, making it ideal for work on rusty, dirty, and painted material No shielding gas required

2 LB SPOOL

#42300 LINE 390

**10 LB SP00L** #42301 LINE 390

\$**Q1**99



#### **ER70S-6, MIG WELDING WIRE, MILD STEEL,** 10 POUND SPOOL

High strength mild steel MIG wire, ideal for auto body repair and fabrication on most ferrous metals Contains a high level of manganese and silicon for a superior weld, even on rusty, dirty steel | Produces a smooth bead which requires less grinding | Not recommended for aluminum engines.

.024" DIAMETER

.030" DIAMETER #42286 LINE 390

.035" DIAMETER



Ideal for hobbyists and novice welders | User friendly, comfortable, and economical

**FORNEY EASY WELD BLACK MATTE** 



#### **FORNEY SERIES**

Offers easy to use technology, reliability, and value | Features HD optical clarity with true color technology

**FORNEY SCORCH** 

Designed for experienced and professional welders Arc Optics technology 43% larger viewing area

FORNEY PRO SERIES

FORNEY PRO WARHAWK

#### Propane torch, adjustable flame knob for control and economy | Solid brass valve body for durability

PENCIL FLAME TORCH

#### SELF-IGNITING TRIGGER TORCH

Instant-on and off trigger igniter | Lock button keeps torch lit for finger-free use

#### **PLASMA CUTTERS**





#### **AUTOMOTIVE LIFTS**



#### CHALLENGER LIFTS

#### 10K VERSYMMETRIC® ADJUSTABLE WIDTH 2-POST

10,000 lbs. lift capacity | Versymmetric® offset front arms provide directSPOT™ to vehicle lift points and safely lifts both symmetrically and asymmetrically within the same service bay maximizing service capabilities and revenue potential Standard model fits 12' ceiling height | Additional 2' or 3' extensions available | Padded overhead shut off system

> - \$**7,291**00 #CL10AV3 -AS LOW AS \$17200 per month

#### 12K HEAVY-DUTY 2-POST / ADJUSTABLE

12,000 lbs capacity | 3-Stage front & rear arms | Adjustable width from 11'-10" to 12'-10" | Designed to service electric and other wider vehicles when combined with TFPK footpad kit | 1' and 2' column extensions available | Low-ceiling model available with column height of 11'-11"

AS LOW AS \$25700 per month





E15 2-P0ST 15,000 lbs capacity | Heavy-duty 2-stage arms enable heavy-

duty symmetric lifting | Adjustable column height accommodates higher profile vehicles and provides maximum headroom to work underneath vehicles | Padded overhead shut off system | Heavy-duty polyurethane screw pads accommodate a wide range of recommended lifting points | Standard dual integrated rubber door guards

> #E15 -\$14.45000

AS LOW AS \$33200 per month

#### **CHALLENGER LIFTS**

#### MR6 MID RISE CAR LIFT

6,000 lb. lift capacity 52.75" raised height 40" overall width | Short and tall auxiliary adapters come standard to reach pickup points on a wider range of vehicles | Multiple locking positions accommodates higher profile vehicles and provides maximum headroom to work underneath vehicles | Powder coated finish provides long-lasting durable finish

- \$**4,046**00 AS LOW AS \$10900 per month



AS LOW AS \$13500 per month

powder coat finish provides long-lasting durability | Plated arm restraints and arm pins inhibit rust and provide long-lasting durability

**Get 10315 Adapter Kit for only** \$13000 with VLE10 lift purchase! A \$585.00 savings!

Includes four 3" adapters. two 6" adapters, and two organizer racks with hardware.

Closed-front drive-on 4-post lift features a low approach angle and wide runways for easy approach.

#### **FOUR POST CAR LIFT -4P14 SERIES**

14,000 lb. lift capacity | Closed front design Extended wheelbase to accommodate long vehicles | 20" wide runways aid for drive-on confidence | Louvered approach ramps provide superior traction for driving vehicles on and off ramp | 78" rise height 14-level locking positions, allowing ergonomic working height for technicians to increase productivity and minimize fatigue | Powder coat finish provides long-lasting durability

#4P14EFX — **-- \$9.898**00 AS LOW AS \$23300 per month



#4P14XFX ---- \$10.46200

VLE10 VERSYMMETRIC® CAR LIFT 3-stage Versymmetric® front arms and 2-stage rear arms provide a wide arm sweep for asymmetric and symmetric lifting in the same service bay 11.875" standard height fits in service bays with 12' ceiling height | Double telescoping screw pads with rubber foot pad Padded overhead shut-off system prevents

vehicle damage | Jacketed pulley-less single-

once exclusive to our CL series lifts are now standard on the VLE10 | Rubber door guards

protect vehicle from door damage | Premium

point mechanical lock release system that was

AS LOW AS \$24100 per month



#### \*LIMITED TIME SPECIAL!

Buy one RJ7.5 Rolling Jack, get a second HALF OFF with the purchase of a #4P14 Series Lift!

First RJ7.5 \$4,42600 Second RJ7.5 \$2,21300

Prices for lifts include delivery but not installation. Installations do not include air or electric hook up. Additional cost such as permitting, seismic, moving other equipment or concrete work is not included in the installation work. Please contact your local Federated salesperson for complete details.

#### FULL LINE AVAILABILITY

Use a QR Reader app on your smartphone and scan the companies' QR codes below for a full line of available products and information.



**CRG** SmartWasher

















#### WHEEL & TIRE EQUIPMENT

#### **COATS WHEEL BALANCERS**

SHIPS DIRECT FROM MANUFACTURER. FULL LINE OF COATS BALANCERS AVAILABLE. SEE SALESPERSON FOR DETAILS.

#### 1185 WHEEL BALANCER

LINE 145-

#8001185 - 110V

Full service capability, Compact footprint, 110V

#### Big Features in a Little Package

With a small footprint, this unit is designed for light to medium duty environments, but still offers features you will find on much larger, more elaborate machines.

#### Laser Line Guidance

Easily visible laser line helps operators place weights right where they are needed.

#### Color LCD Display

Vivid color display alerts operator to the imbalance location and identifies the optimal tape on or clip weight location.

#### Live Position Indexing Guidance

Audio and graphics-based notifications alert operator when weight placement is needed.



Laser Line Guidance



Color LCD Display



**Live Position Indexing** Guidance

#### 1300 DIRECT DRIVE WHEEL BALANCER

**LINE 145** 

#80013002D - 220V 1PH #80013002D01 - 220V 3PH

Powered by Direct Drive Motor - Motor and spindle are combined into a single, pre-balanced assembly that always stays calibrated to zero | 2-D Automatic Data Entry offers automatic data entry of the distance and diameter, eliminating the chance of technician error and speeding up the balancing process | Eight balancing modes

#### 1500-3D DIRECT DRIVE WHEEL BALANCER

LINE 145

\$9,99900

#80015003D - 220V 1PH #80015003D01 - 220V 3PH

Powered by Direct Drive - Motor and spindle are combined into a single, pre-balanced assembly that always stays calibrated to zero Laser Guided Operation® - Pinpoints the exact weight location, both radially and axially and eliminates trial and error Stop, Lock & Index – Automatically positions the wheel at the weight placement location and locks the spindle in place for easy, accurate weight application



LEASE FOR AS LOW AS

PER MONTH

FOR 60 MONTHS WITH APPROVED CREDIT



WITH APPROVED CREDIT

MAXX ---/---

#### **1600-3D DIRECT DRIVE WHEEL BALANCER**

#80016003D - 220V 1PH #80016003D01 - 220V 3PH

Powered by Direct Drive - Motor and spindle are combined into a single, pre-balanced assembly that always stays calibrated to zero | ProBalance Technology® - A unique balancing system (unbalance correction methodology) that minimizes both static and couple unbalance | Speed Thread™ Provides the ability to thread the hub nut at the push of a pedal to improve the ease-of-use and speed of mounting the wheel

# **COATS TIRE CHANGERS** LINE 145



#### 9028E Tilt Back **Tire Changer**

 Tilt back tower angled for no interference on second bead removal

Power taper rollers. pneumatic drop center, and swing-in rollers handle approximately 90% of the effort required to change even the toughest tires

Clamps wheels externally up to 28"

Model 9028E



Steel clamps 6"-24"

Hand actuated bead

Steel and Nylon Plastic

Model 800MAXX70 00MAXX70220 800MAXX70A




#### **MAXX 80**

- Steel and Zinc plated Grip Max 2.0 clamps 6"-24" ext. clamping range
- Dual control hand/foot operated bead loosener
- Steel, Nylon, & Hi-Spoke Plastic Duckheads®
- RoboRoller® (Right side)
- Storage Cabinet

800MAXX80 800MAXX80220 800MAXX80A





TIRE CHANGERS

Coats 9028E Tilt Back Tire Changer 2009022 \$13,499.00 - Lease for \$311.00/month for 60 months

800MAXX70 Coats Maxx 70 Tire Changer, 110V 800MAXX70220 Coats Maxx 70 Tire Changer, 220V, 2HP 800MAXX70A Coats Maxx 70 Tire Changer, Air \$9,499.00 - Lease for \$224.00/month for 60 months

**08XXAM008** Coats Maxx 80 Tire Changer, 110V 800MAXX80220 Coats Maxx 80 Tire Changer, 220V, 2HP Coats Maxx 80 Tire Changer, Air A08XXXM008 \$10.999.00 - Lease for \$253.00/month for 60 months

RC-45A Rim clamp tire changer with air or electric drive motor; Air: 1.5HP Air 85609949 Motor, 110-175 PSI, 15scfm; Electric: 110V/60Hz RC-45F RC-45A - \$6,000.00 - Lease for \$141.00/month for 60 months

8560994901 RC-45E - \$6,000.00 - Lease for \$141.00/month for 60 months Rim clamp tire changer with robo arm and air or electric drive motor; RC-55A

Air: 1.5HP Air Motor, 110-175 PSI, 15scfm; Electric: 110V/60Hz 85609950 RC-55A - \$8,449.00 - Lease for \$199.00/month for 60 months RC-55E 8560995001 RC-55E - \$8,449.00 - Lease for \$199.00/month for 60 months

DEDICATED TO THE PROFESSIONAL INSTALLER

#### **AUTOMOTIVE LIFTS, WHEEL & TIRE EQUIPMENT**

#### **TUXEDO MOBILE AUTOMOTIVE LIFTS**

# **TUXED®**

#### **MOBILE SINGLE COLUMN LIFT**

#MSC-6KLP



#MSC-6KLP -- \$5.31000 LEASE FOR AS LOW AS \$12500 per month

#### TWO POST DIRECT DRIVE CLEAR FLOOR BI-SYMMETRIC™ LIFT

#### #TP11KC-DX

piece column | Direct drive pull cylinders | Single point lock release Heavy duty arm restraint system | Spin up low profile lift pads | Stackable adapters included | External hose guards

#TP11KC-DX -



#### **DELUXE STORAGE LIFT**

#### #FP8K-DX

8,000 lbs capacity | Cable driven | Single point manual lock release | Adjustable locking positions | Slack cable safety | Steel approach ramps | Fits in most residential garages | Includes drip trays, jack tray & poly caster kit





#### TWO POST CLEAR FLOOR

#### **#TP9KACX**

9,000 lbs capacity | Asymmetric arms | Rubber door guards | Chain drive cylinders | Dual point lock release | Auto arm restraint system Single piece column | Internal hose routing | Low profile spin up lift pads | Stackable adapters included

#TP9KACX -LEASE FOR AS LOW AS \$7800 per month

#### **CEMB WHEEL & TIRE EQUIPMENT**

#### ADVANCED SWING ARM TIRE CHANGER

Professional grade swing arm tire changers for OEM and oversized tires and custom wheel applications. 220V.

#### #SM628BPS \_ \$9.99900

Features an optional high-performance Bead Press System (BPS) which is highly recommended to easily aid in the servicing of low-profile, run flat, on/off road tires and commercial light trucks with stiff sidewalls and difficult rims with deep drop centers.

- Bead Press System
- Polymer Mounting Head
- Table Top Clamping
- Two Stage Inflation High Torque Motor · Bead Breaker Shovel



#### AUTOADAPTIVE™ OPB LED WHEEL **BALANCER, MANUAL CLAMPING**

Made especially for busy tire shops. "Spotter" laser pinpoints the exact location of stick-on wheel weights, with little or no chance of operator error when entering dimensions. Comes fully assembled. 220V.

#### #ER72TD

\$8.465°°

- One Plane Balancing (OPB)
- AutoAdaptive™ Mode
- Automatic Approach
- Automatic Gauge (3D)



Combo Package Consisting of #SM628BPS & #ER72TD

- \$16.86000 LEASE FOR AS LOW AS \$38800 per month

#### **CENTER POST LEVERLESS TIRE CHANGER**

Combines the best of multiple tire changer technologies; offering speed and efficiency throughout a wide range of applications.

#### **-** \$17.599<sup>00</sup>

- Wheel Lift
- Leverless System
- Side Shovel
   Bead Roller System

LEASE FOR AS LOW AS

#### **CEMB 2-HIT TIRE DEALER BALANCER**

Innovation with simplicity. Transforms the wheel balancing process thanks to the perfect mix of speed, ease of use, strength, and ergonomics.

#### \$11.21900

- One Plane Balancing (OPB)
- AutoAdaptive™ Mode
- LA Sonar
- ALU-S Balancing Mode

PER MONTH FOR 60 MONTHS H APPROVED CR

PER MONTH


FOR 60 MONTHS

#### **MOBILE CCD WHEEL ALIGNMENT SYSTEM**

#### #DWA1100TROLLEY -- \$12.59900

Features a mobile structure with pivoting wheels, allowing you to effortlessly position it next to the vehicle, optimizing your shop workspace. The system is controlled through a rugged tablet, providing user-friendly operation and LEASE FOR AS LOW AS eliminating the need for a bulky PC.

- Mobile and Compact
- Rugged Tablet
- Intuitive Software
- Precise CCD Sensors • Over 55,000 Vehicle
- Database



#SM825EVOPA SWING ARM TIRE CHANGER AND #EZ10 MOTORIZED 3D DATA ENTRY WHEEL BALANCER

#EZCOMBOPA— \$10.38300 LEASE FOR AS LOW AS \$23900 per month



#### **MITYVAC PRODUCTS & MISCELLANEOUS**

#### **FLUID EVACUATION &** DISPENSING EQUIPMENT **FLUID EVACUATOR** Convenient manual pump operation | Integrated 1.9 Gal capacity reservoir | Large base with foot stabilizer Durable, chemical resistant polyethylene construction Automatic overflow prevention | Quick-drain pour spout PneumatiVac AIR OPERATED **FLUID EVACUATOR** #MV7300 LINE 579 Operates on compressed air Integrated 2.3 Gal capacity reservoir | Large base with foot stabilizer | Durable, chemical resistant polyethylene construction | Independent air shut-off valve | Quiet, muffled exhaust | Automatic overflow prevention Quick-drain pour spout **FLUID EVACUATOR PLUS** Evacuates or dispenses at the push of a button



#### **BLEEDING EQUIPMENT**

Convenient manual pump operation | Integrated 2.3 Gal capacity reservoir | Large base with foot stabilizer | Durable, chemical resistant polyethylene construction | Automatic overflow prevention | Quick-drain pour spout

#### PRESSURE BLEED SYSTEM

Professional hydraulic brake and clutch bleeding system | Includes fluid dispenser and 7 master cylinder adapters to connect to most American, Asian and European cars and light

American, Asian and European cars and light trucks | Forces new brake fluid through the master cylinder | Air and old fluid expelled through bleed screw(s) | Pressure gauge on dispenser allows control of system pressure



#### VACUUM BRAKE BLEEDER

#MV6830 LINE 579

Compressed air operation | Integrated 1.9 qt capacity fluid collection reservoir | Variable control thumb throttle | Swivel air inlet with quick disconnect | Quick disconnect coupler for

Mityvac:

disconnect coupler for accessories | Quiet, muffled exhaust | Automatic overflow prevention

#### HIGH VELOCITY 2-SPEED 42" BARREL FAN

#681216 LINE 87

Powerful, 2-speed, PSC thermally protected 1/2 HP motor | CFM low: 9,500, high: 13,300 | Belt drive design for ultra-quiet operation | High velocity air flow | Ideal for moving large volumes of hot air quickly and efficiently to keep people and machines cooled off

COLOR & BRAND MAY VARY



#### PARTS WASHER SOLVENT

#5-PWS LINE 199

5 gallons | High performance formula | Cuts through cutting oil, water-soluble oil, motor oils and grease | Safe on all metals, most plastics and painted surfaces

\$109<sup>99</sup>



#### Federated

# Car

# **BE A PART OF THE WINNING TEAM!**

Ask your local Federated representative about the benefits of the Federated Car Care Program



- Free Nationwide Roadside Assistance Program
- ASE Certification Reimbursement
- The Group Training Academy

- Nationwide Repair Warranty Program
- Federated Road Hazard Insurance
- AutoPass Consumer Credit Card

Plus, discounted access to national programs like Identifix®, Cintas®, AutoNet TV®, BusinessVoice®, MechanicNet®, Diagnostics Hotline®, Staples Business Advantage®, and more!

#### DEALER-PAK® ASSORTMENTS

#### #025-075 LINE 320

#### **Metric Class 8.8 Fasteners**

Over 2,100 pieces in this assortment of metric hex head cap screws, hex nuts, flat washers, and split lock washers

#### #025-160 LINE 320

#### **Standard Fasteners Grade 5**

Popular assortment of over 3.100 Grade 5 fasteners consisting of cap screws, hex nuts, flat and spring lock washers, cotter pins, battery hardware, license plate hardware, stove bolts with nuts, sheet metal screws, and grease fittings







TRICO



#99-365 - TRICO Wiper Wall Rack FREE\* with purchase of \$50 of TRICO blades

#99-328 - TRICO Wiper Rolling Rack FREE\* with purchase of \$100 of TRICO blades #99-337 - TRICO Wiper Rolling 2-Sided Rack FREE\* with purchase of \$150 of TRICO blades

\*Limit 1 free rack per customer. While supplies last.

#### **SPLINE KEYS, WHEEL NUTS, & WHEEL STUDS**

PART #	DESCRIPTION	# SKUs / # PCS	PRICE
#WK-ASST-KEY1	Spline Key Set	6 pcs	\$29.95
#WK-ASST-1A	Wheel Nut Assortment	24 SKUs / 93 pcs	\$149.95
#WK-ASST-STUD	Wheel Stud Assortment	12 SKUs / 120 pcs	\$199.95
		<b>8</b> W	LINE 976

Even with the proper removal tool you'll end up breaking those fragile plastic fasteners in the process. Save yourself the frustration with these OE manufacturer-specific kits. Includes a selection of essential retainers, fasteners and clips in a convenient organizer tray with illustrated quick part reference.



LC	PART #	DESCRIPTION	# PCS	PRICE
962	#W5240	GM Trim Clip & Fastener Assortment	350	\$45.99
962	#W5241	Ford Trim Clip & Fastener Assortment	415	\$39.95
962	#W5242	<b>Chrysler Trim Clip &amp; Fastener Assortment</b>	315	\$32.95
962	#W5243	Toyota Trim Clip & Fastener Assortment	340	\$43.95
962	#W5244	Honda Trim Clip & Fastener Assortment	418	\$43.95
962	#W5258	Nissan Trim Clip & Fastener Assortment	408	\$35.95

#### **240 PC PUSH PIN RETAINER AND TOOL**

#### W5259 LINE 96

The perfect assortment of Push Retainers for Ford GM, Chrysler, Toyota, Honda, Nissan, and more Provides the right size for door trim, radiator shield yoke, fender, bumper, and splash shields

.....

SJJ.R\*R.

#### DRAIN PLIIG ASSORTMENTS

- · Oil drain plug gaskets will fully seal the drain plug and avoid oil leakage
- These OEM quality kits provide a cost-efficient, time-saving alternative to purchasing all these components separately
- A visual reference guide on the inside cover of the resealable storage tray identifies the part number so you can refill the kit



LC PART # DESCRIPTION 320 #030-541 **Oil Drain Plug Gasket Assortment** 20 part numbers of the most popular copper, fiber, nylon & aluminum gaskets

#DP454 **Oil Drain Plug Assortment** \$69.99 76 drain plugs and their corresponding gaskets

# **OIL DRAIN PLUG WALL RACK**

- 93% **Easy ID** COVERAGE
- Easy Install
- **Rust Protection**
- Hi-Temp Gasket
- **Avoid Cross-Threading**





# **OIL DRAIN PLUG WALL RACK**

Includes all 13 ACCUFIT® oil drain plugs | Powder-coated rack is constructed of high-quality steel and aluminum | Check drain plug threads with the built-in gauges, mounted to the right and left next to the bins, to simplify plug identification | Oil-resistant labels printed with thread sizes and UPCs to make point of sale and restocking easy | Compact footprint is designed to be mounted near the point of install | Mounting hardware and instructions included

#### Kit includes the following sizes:

M12x1.25 • M12x1.5 • M12x1.75 • M14x1.25 • M14x1.5 • M16x1.5 • M18x1.5 • M20x1.5 • M22x1.5 • M26x1.5 • 1/2"x20

• 5/8"x18 • 3/4"x16 (for a total of 63 pieces)



#### **SHOP RACKS & ORGANIZATION**

#### **LOW VOC SHOP CABINET**

#### #70080 LINE 812

Durable, steel, locking cabinet featuring an assortment of 23 popular body shop products used for panel bonding, plastic repair, seam sealing, corrosion protection, and general body repair | 25" x 30" x 13"



#### **AUTOMOTIVE FUSES**

#### CASE WITH ASSORTED FUSES

Includes over 500 assorted fuses | Contains 1 each of: #RBOX1, #RBOX2, #RBOX3, and #RBOX4 Fuse Kits | Does not include glass

#### **FUSES & ACCESSORIES**

**#094363 – MINI fuse kit \$5.99** 8 fuses include: 3, 5, 7.5, 10, 15, 20, 25, 30 Amp

#### #094370 - ATO fuse kit \$5.49

8 fuses include: 3, 5, 7.5, 10, 15, 20, 25 and 30 Amp

#### #FHA200BP - ATO® Add-A-Circuit Holder \$12.49

Allows easy installation of additional circuits without cutting or splicing. Turns one fuse slot into two while providing protection for both circuits. Maintains new car warranty. Use with ATO® Fuses up to 10 amps. Includes ATO® 3, 5, 7.5 and 10 amp fuses

#### #FHM200BP - MINI™ Add-A-Circuit Kit \$12.98

Same as ATO® Add-A-Circuit, but for MINI™ Fuse applications. Includes MINI™ 3, 5, 7.5 and 10 amp fuses

#### #MAH1 - MAXI fuse in-line fuse holder \$25.95

Supplied with two 5" leads - 6 gauge wire for up to 60 amp MAXI™ Fuse applications

#### **120 PC FUSE ASSORTMENT**

Sizes: 5 amp 20 ea., 10 amp 20 ea., 15 amp 20 ea., 20 amp 20 ea., 25 amp 20 ea., 30 amp 20 ea.

#### **120 PC MINI FUSE ASSORTMENT**

Sizes: 5 amp 20 ea., 10 amp 20 ea., 15 amp 20 ea., 20 amp 20 ea., 25 amp 20 ea., 30 amp 20 ea.



#### **STORAGE RACKS**

#### **WALL MOUNTED STORAGE RACK** WITH 10 PLASTIC BINS

#W5190 LINE 962

The heavy duty black powder coated steel rack mounts directly to the wall studs | Designed to hold up to 60 lbs. total weight capacity | Bins are injection molded from thermoplastic resins and includes 6 small stackable storage bins (5-1/2" x 3-1/4" and 4 large stackable storage bins (8-1/4" x 5") plus screws and wall anchors




#### FLOOR STORAGE RACK WITH 47 PLASTIC BINS

**LINE 575** 

Removable bins provide easy access This black powder coated steel rack holds: 32 small stackable storage bins (5-1/2" x 3-1/4") and 15 large stackable storage bins (8-1/4" x 5") | Bins are injection molded from thermoplastic resins | Some assembly is required | 45"

**\$173**00



#### **FEDERATED AUTO PARTS NIGHT KEY DROP BOX**

#### #FED8014 LINE 694

Front: 17-5/8" W x 18-13/16" H Back: 16" W x 14-1/8" H | Thru-wall opening: 10" W x 2-1/2" H Made of 18 gauge steel

Box of 500 Key Drop Box Envelopes

**#DROPENVELOPE – LINE 693** 



#### **POLY-ARMOUR BRAKE LINE ASSORTMENT**

**#PAD22 LINE 135** 

24 of the most popular 3/16" and 1/4" brake lines | Additional space to store 5/16" and 3/8" | Double wall close tolerance low carbon steel construction | PVF (Poly-vinyl Fluorine) coated to resist corrosion and abrasion | Easy



#### **CLEANING TOOLS & SUPPLIES**

#### **TOWELS & MITTS**

# SPA-SOFT MICROFIBER DETAILING TOWELS

**#45625AS** LINE 233 6 pack | 12" x 16"

#### **MICROFIBER DETAILING TOWELS**

**#45067 LINE 233** 12 pack | 14" x 14"

#### **COTTON SHOP TOWELS**

#40046 LINE 233 5 pack | 13" x 14" rolled

#40048 LINE 233

25 pack | 13" x 14" bagged

EVAPORATOR PVA
DRYING TOWEL
\$14

**#40208 LINE 233** 3 square feet

**SYNTHETIC CHAMOIS** 

**#40210 LINE 233** 2.5 square feet

\$999

# MICROFIBER MAX TOTAL CLEAN ALL-OVER BODY MITT

#45602AS LINE 233

4-in-1 waterproof 7" x 10" wash mitt | Suds-Maker luxury chenille fibers | Poly-wash™ netting gently scrubs | Scratch and lint free for professional wash

COMMERCIAL GRADE BLACK 5/8" x 50' WATER HOSE

HEAVY DUTY NEVERKINK 5/8" x 50' WATER HOSE

#8617-50 LINE 161



\$**35**99

◆TEKNOR APEX

# FLEXZILLA PRO WATER HOSE WITH REUSABLE FITTINGS, 5/8" X 50'

#HFZWP550 LINE 716

All weather flexibility | Abrasion resistant outer cover and crush resistant aircraft aluminum fittings | Won't kink under pressure | Hybrid polymer coils easily and lays flat wit zero memory |

Field repairable | Lead free - Drinking water safe



#### **CLEANING SUPPLIES**

#### **FEDERATED 5 GALLON BUCKET**

#20512002 LINE 698

Lightweight bucket made from heavy duty chemicalresistant plastic, HDPE resin | Tapered design for easy separation and maximum storage

#### SWAB® CONCRETE CLEANER POWDER

#SW4 LINE 770

Removes grease, oil and dirt from concrete, asphalt floors and paved driveways | Cleans and helps to brighten and harden concrete | Cleans oil and grease residues left by vehicles | 25 lb. pail

#### **CAR CARE BUCKET**

#1049 LINE 335

Everything you need to make your car shine Contains 2.5 Gallon Bucket, Polish & Cleaner, Vinyl & Leather Dressing, Ultimate Detail Spray All Wheel Cleaner, and Car Wash Concentrate



#### **POLISHING TOOLS**

#### **ALUMINUM POLISHING KIT**

#W50090 LINE 962

Designed to be used for harder finishes like aluminum, brass and copper | Features 1/4" dia. round shaft for use with a power drill

#### (it includes:

Polishing Pads – 3" mushroom, 2-1/2" tapered cylinder Polishing Felts – 3-1/5" bullet, 2-1/5" conical, 2-3/10" cone, 2-1/10" pear

Polishing Wheels – 2", 3", 4" (three wheels share one shaft) Polishing Compounds – 4 oz of white, black and brown emery

#### **POWERBALL® PRODUCTS LINE 655**

Perfect for use on any uncoated, polishable metal finish | Attaches to any drill to allow you to polish curved surfaces no matter how intricate the design | Unique and durable closed-cell foam construction compresses into tight spaces and is designed to revitalize billet, diamond plate, polished aluminum, stainless steel, plastic and more

#05141 3" MINI POWERBALL WITH 10" EXTENSION \_\_\_\_\_\_

#05146 4" TO 1" TAPERED POWERCONE

3 PC. POWER TOOL BRUSH SET

#W4991 LINE 962

3 pc. kit contains 2" and 4" round flat brushes and one 3-1/2" dome shaped brush with medium stiffness polypropylene all-purpose bristles | Standard 1/4" quick connect shaft for secure attachment to your power drill or driver (power tool not included)





#### **BRUSHES, BROOMS & SQUEEGEES**

20" PROFESSIONAL LONG

**HANDLE BRUSH** 

\$**13**13

10" HEAVY DUTY
WASH BRUSH HEAD \$1

10" FLOW-THRU WASH BRUSH WITH UP TO 68" HANDLE

#93089 LINE 233

8" HEAVY DUTY WASH BRUSH WITH 48" HANDLE

#93053 LINE 233

\$**24**49

60" HANDLE WITH METAL TIP

#93069 LINE 23

\$**10**95

#### **24" GARAGE SWEEP HEAD**

#930/0 LINE 23

All purpose sweep head for use on smooth or rough floors | Handle not included

# 30" CURVED FLOOR SQUEEGEE, RED RUBBER WITH 54" HANDLE

#844-30-116 LINE 520

Water, slush/snow, sludge, waste, oil and other liquids | Heavy duty construction

#### **SQUEEGEE WITH SCRUB HEAD**

#9267 LINE 233

Professional plastic handle squeegee | 8" plastic head with 20" plastic handle

#### **16PC POWER BRUSH DETAILING KIT** #W4992 LINE 962

A comprehensive assortment of brushes, pads, and towels to make cleaning your auto, boat, or home easier, faster, and more practical



# **SHOP SUPPLIES**

#### **GOJO CLEANERS**

**LINE 432** 

#### **NATURAL ORANGE PUMICE HAND CLEANER**

1 Gal | Quick-acting lotion formula with pumice scrubbing particles for cleaning a broad range of industrial soils, medium dirts and grease | Orange citrus scent

#### **CHERRY GEL PUMICE HAND CLEANER**

1 Gal | Gel-style hand cleaner with pumice scrubbers and a cherry fragrance | Pumice scrubbers combined with gel balance cleaning performance and skin feel | Clings to hands for easy cleaning; doesn't fall off into the sink | VOC and NPE free | pH balanced to leave skin feeling refreshed | Easy to use and spread across hands and arms | Effective on dirt, oil and grease



#### 2000ml TDX REFILL CARTRIDGES

#7272	SUPRO MAX\$29.60
	HAND CLEANER
<b>#7290</b>	CHERRY GEL PUMICE\$30.95
	HAND CLEANER



#### **SCRUBBING TOWELS**

72 count bucket Dual-textured wet towels for quick, convenient cleaning | Dual textured with a scrubbing side and a smooth side | Extra-large towels for superior cleaning capacity | Contains skin conditioners to help prevent dryness and irritation No water needed | Fresh citrus scent | Effective on oil, grease, paint, adhesives, tar, and asphalt



#### **HEAVY DUTY CLEANING WIPES**

90 count bucket | 10" x 12" oversized wipe is bigger, stronger and tougher to ensure maximum durability and performance | 100% solution soaked wipes, from the first to the last, come out of the container saturated and ready to work hard | Contains no harsh chemicals, only biodegradable detergents, solvents and emulsifiers that go to work dissolving grease and dirt | Foaming agents lift grime off the surface so it can easily be wiped away | Durable fiber weave wicks up moisture, enhances scrubbing and grabs dirt, while the quilted design offers cushioning and surface texture | Heavy duty cleaning wipes contain aloe, Vitamin E and lanolin to protect your hands and leave them clean and soft | Removes stains others won't, including: grease, tar, ink, paint, permanent marker and other hard-to-remove soils | Heavy duty cleaning wipes do not contain disinfecting or antibacterial properties Vaporlock™ canister is made of heavy-gauge plastic with locking lid to minimize solution evaporation



#### **FED**PRO

**LINE 708** 

#### PIG® MAT ABSORBENT PADS & ROLLS

Lasts 2X longer than ordinary mats for fewer change-outs, absorbs everything, works everywhere | Eight layers of 100% polypropylene are thermally bonded to make PIG® Mat the strongest mat on the market; won't rip, tear or fray, even when saturated | Exclusive dimple pattern speeds wicking of liquid throughout mat for faster, easier cleanup | Highly absorbent, fine-fiber construction won't leave liquids or fiber residue behind Absorbs most common industrial liquids - oils, water, solvents, coolants and more Absorbed leaks and drips blend right in; dark gray color hides grime so mat stays on the job longer | Can be wrung

> out and incinerated after use to reduce waste Rolls are ideal for covering large areas Easy-tear perforations let you take only what you need, so you use less mat and

save money

LIGHT WEIGHT PADS – BOX OF 100

**MEDIUM WEIGHT PADS – BOX OF 100** 

DRUM TOP ABSORBENT PADS – BOX OF 20

#25103 - 22" diameter

**MEDIUM WEIGHT ROLL** #25400 - 30" x 150'



#### **SCOTT DISPOSABLE TOWELS**

#### SCOTT SHOP TOWELS

Can be used over and over | 55 sheets per roll | Absorbs grease



**SCOTT HEAVY DUTY** SHOP TOWELS

60 sheets per roll | Three times stronger when wet than original Scott shop towels Solvent resistant and reusable for the toughest tasks

**SCOTT SHOP TOWELS** 

#75190 LINE 807 200 – 11" x 10.4" sheets per box Absorbs grease and oil Pop up dispenser with handles

SCOTT RAGS IN A BOX

10" x 14" | 200 rags per box | Pop-up dispenser | Works like cloth | Lint free, highly absorbent



#### **TORK DISPOSABLE TOWELS**

#### A-TORK **MAXI WIPERS** #130211B LINE 647

Multipurpose wiper designed for light wiping tasks | Solvent resistant - long lasting 9" x 866' | 735 count

#### **A-TORK PREP AND CLEAN-UP WIPERS**

Soft and non-abrasive | Provides protection for delicate surfaces | Solvent resistant and long lasting for faster and more effective wiping | 100% recycled fiber | 10" x 426' 325 wipes per roll



4-ply construction absorbs four times more and four times faster than rags | Unique hole structure provides optimum absorption of oil, grease and cutting fluids | Two-sided, rough/smooth | 10" x 249'



#### **DISPOSABLE DUST MASKS**

#### **N95 PARTICULATE RESPIRATOR MASK**

NIOSH approved for at least 95% filtration efficiency against certain non-oil based particles 3M™ Cool Flow™ Exhalation Valve helps reduce heat build-up inside the respirator | Designed to increase comfort and wearability | Quantity: 10 masks per box

SOLD SEPARATELY



#### **SAFETY ACCESSORIES**

#### **ADJUSTABLE SAFETY GLASSES**

Comfortable Molded Nose Bridge Adjustable Temple Length | Meets High Impact Requirement of ANSI Z87.7-2003 **UV** resistant



#### 200 CT DISPOSABLE FOAM EAR PLUGS

HP32 LINE 420

Tapered earplug design fits snugly in the ear for long-lasting comfort | Soft, non-irritating polyurethane foam material Noise Reduction Rating (NRR) 32 dB, CSA Class AL



#### **SPRAY ROOM ATTIRE**

#### **DEVILBISS CLEAN DISPOSABLE COVERALLS**

Ideal for protecting clothes and bare skin from paint, chemicals, and other dirty environments | Full zipper front, elastic wrist closures, and a full pullover hoodwrists and

> #803671 SIZE M #803672 SIZE L #803674 SIZE 3XL

YOUR CHOICE

#### **SPRAY SOCK**

Breathable stretch knit | Handy dispenser box | Can be worn with goggles and half-mask or full-mask respirators | One size fits all

# WEATHER STRIPPING

#### **CAMPER SHELL FOAM WEATHER STRIPPING**

Eliminates rattles and vibrations | Self adhesive | Fits one light truck bed | 3/16" x 1-1/4" x 30



#### **BLACK VINYL FOAM** 5/16" x 3/4" x 10' ROLL

Self adhesive Use for car doors, windows, trucks, etc.



2" CONVEX STICK-ON MIRROR



#### **6" CONVEX CENTER-MOUNT SPOT MIRROR**

#28663 LINE 440

#### TRIANGLE WARNING KIT

#71422 LINE 440

Reflective up to half of a mile | Exceeds legal requirements Weatherproof and impact resistant | Weighted for stability Kit of 3 triangle devices in carrying case

**CONSPICUITY TAPE** 

50-5 LINE 440

2" x 18" strips (5 pack) | Exceeds DOT requirements Durable, impact and solvent resistant | Reflects light even in daytime | Bright prismatic appearance



#### PAR 36 RUBBER TRACTOR & UTILITY LAMP

12 volt sealed beam | Trapezoid beam pattern | Swivel mount | Shock absorbing, weatherproof body

#### **UTILITY TRAILER LIGHTING KIT**

Push-in wire connection for easy installation | Includes: harness, license plate bracket, instructions and complete wiring and installation kit



LINE 440

Twist-on mounting for easy installation | Fits all popular mountings and grommets



#### STOP / TAIL / TURN LAMPS

LINE 440

**ROUND 4" TORSION MOUNT® II** #52772

**OVAL 6.5" TORSION MOUNT® III** #52922

**ROUND 4" ECONOMY TORSION MOUNT®** 



#### DURAMOLD<sup>®</sup> LICENSE LAMP

60001 LINE 440

Compact license lamp protrudes less than 2" | Housing snaps firmly into molded o-ring | Durable lens



#### **COMPACT COURTESY LAMP**

Rubber-sealed spring and pigtail assembly | Fits 1-1/4" hole in panels from .06" to .25" thick | Translucent white plastic lens with chrome shade

#### THREE-STUD REPLACEMENT **LAMP WITH PIGTAIL**

#50972 LINE 440

Replaces Peterbilt, Chevrolet / GMC and Jeep lamps Features license window

#### 4" TORSION MOUNT® II SINGLE-SYSTEM **BACKUP LIGHT**

Female pin | Has a Torsion Mount® II, Gel-Mount® bulb cradle design with a hermetic lens-to-housing seal Clear lens



# LED LIGHTING

#### 2-1/2" HI COUNT LED LAMP

Fits all popular mountings and grommets #G1032 LINE 440 **RED** 

#G1033 LINE 440 **AMBER** \$10.49

# Red

Amber

#### MICRONOVA™ LED CLEARANCE MARKER LIGHTS

Provides a bright pinpoint of light exactly where it is needed

#49332 LINE 440 **RFD** 

#49333 LINE 440 **AMBER** 



#### HI COUNT® 56 DIODE LED LAMP STOP / TAIL / TURN

Lower amp draw of LEDs allows for use of more lamps without draining vehicle power

G6002 LINE 440 #G6003 LINE 440

**RED AMBER** \$46.95

#G6003 **Amber** 

Red



#### 4" HI COUNT / STOP / TAIL / TURN LED LAMP. RED

Concentric, high count diode design | Female pin termination accepts all popular plug-in connectors

#### SUPERNOVA™ OVAL LED STROBE LAMP, AMBER

Internal circuitry eliminates the need for an external power supply or control module | Rugged Plug-and-Go® makes for a quick, easy connection every time | Requires only a 12 volt DC connection for power | Lamps fit standard oval mounting holes

#### HI COUNT® 2" 9-DIODE LED CLEARANCE **MARKER LIGHT, RED**

Designed to fit most popular mounts | Twist-on mounted for easy installation | Fits all popular mountings and grommets Hermetic lens-to-housing seal | Quick Plug-and-Go® retrofit

# SELECT™ 4" DUAL-SYSTEM LED BACKUP LIGHT,

Protected against water intrusion | Standard aftermarket connections provide for easy replacement | Female pin Clear lens

#### TEARDROP "KOJAK" LIGHT, **AMBER**

#76033 LINE 440

Low power consumption light | Magnetic mount | Local restrictions may apply



**LIGHT, SINGLE FLASH** #77103 LINE 440

**MIGHTY MINI STROBE** 

3-5/8" tall | 5-1/8" wide base | 3 mount holes for #10 screws | 70 flashes per minute 1.5 joules, 12 to 80 volts DC – .3 amps at 12 volts | Reverse polarity and voltage spike protected



#### **PIGTAILS LINE 440**

#67001

#67050

STOP/TAIL/TURN THREE-WIRE #67000 PLUG-IN PIGTAIL FOR FEMALE PIN LAMPS

**DOUBLE-SEALED MARKER LAMP PIGTAIL** 

#67090 **ECONOMY THREE-WIRE 90° PLUG-IN** 

**SEALED MARKER LAMP PIGTAIL** 

**PIGTAIL FOR FEMALE PIN LAMPS** 



# **MISCELLANEOUS ACCESSORIES**





2" CHROME TRIPLE GAUGE KIT **#7200** 

Oil: 0-100 PSI / 0-700 kPa (90° sweep) Volt: 8 to 18 volt range (90° sweep) Water: 130° to 280° F / 60° to 140° C (90° sweep) Back-Lit™ illumination for night use | Rear twist-on ring mount design makes mounting simple | Includes the necessary adapters and fittings for most popular vehicles - foreign and domestic

2" CHROME HOUR METER #7210 W/ CHROME INLAY PANEL

Engineered for 12 to 60 Volt DC systems Range: 10,000 Hours Back-Lit™ illumination for night use | Hardware and instructions included for in-dash mounting | Includes adapters and chrome panel inlay

2" CHROME MECHANICAL **#7232 WATER TEMPERATURE GAUGE** 

130° - 280° | 90° sweep | Adapters included | Back-Lit™ illumination for night use Rear twist-on ring mount design makes mounting simple

2" CHROME MECHANICAL #7234

OIL PRESSURE GAUGE

0 to 100 PSI Back-Lit™ illumination for night use 90° sweep Rear twist-on ring mount design makes mounting simple | Installation adapters included

2" CHROME ELECTRIC #7262 **WATER TEMPERATURE GAUGE** 

130° to 280° F | Back-Lit™ illumination for night use | 90° sweep | Rear twist-on ring mount design makes mounting simple | Includes the necessary adapters and fittings for most popular vehicles – foreign and domestic

2" CHROME VOLTMETER **#7268** 

8 to 18 volt range | Back-Lit™ illumination for night use | 90° sweep | Rear twiston ring mount design makes mounting simple | Installation adapters included

407 PC O-RING ASSORTMENT

Nitrile butadiene rubber | Suitable for many hydrocarbons, fats, oils, gas, etc. Not suitable for use with brake fluids Good abrasion resistance and resistant to compression High tensile strength | Temperature range of -50°F to 220°F





#21344 RECEIVER HITCH BALL MOUNT \$55.95 Steel | Black Powder Coated | 4" Drop | 2-3/4" Rise

\$94.53 DRAW BAR, TRI-BALL, 1-7/8" - 2" #21512

#21792 RECEIVER HITCH BALL MOUNT \$49.83 Draw Bar | Steel | Black Powder Coated | 2" Drop | 3/4" Rise

#7010500 5/8" DIAMETER PIN AND CLIP \$6.11

#63880 **HITCH BALL, 1-7/8"** \$18,25

Chrome 3/4" Shank 1-1/2" Shank Length 2,000 lbs.

WHEEL BEARING PROTECTOR #74177 \$28.95

#80500 POD TRAILER BRAKE CONTROLLER

#### HEAT SHRINKABLE BUTT CONNECTORS

#83-3150 LINE 440 22 - 18 GAUGE, 100 COUNT #83-3550 LINE 440 10 - 12 GAUGE, 50 COUNT

For 33, 35, 36, 37, and 44 Series

#### TIE DOWNS & STRAPS

**∕∕-CargoLoc**™

15" RUBBER STRAPS – BAG OF 2

#### 2" x 15' TOW STRAP WITH HOOKS

3330 Lb. load limit, 10,000 Lb. break strength | Super strong, flexible webbing with reflective safety striping



#### 2" x 20' RATCHET TIE STRAP

Lifetime warranty | 7,500 lb. break strength



#### 1" x 15' TIE DOWN STRAPS

Four pack | Heavy duty vinyl coated hooks | Easy push button release | Working weight limit: 500 lbs, Break strength: 1500 lbs



#### STEEL HOOK BUNGEE PACK ASSORTMENT

(2) 18" Bungee Cords | (2) 24" Bungee Cords | (2) 30" Bungee Cords (2) 36" Bungee Cords (6) 10" Mini Cords (6) 10" Tarp Cords (2) Adjustable Hooks with Latches



# **MISCELLANEOUS TOOLS & ACCESSORIES**

#### **RAMPS**

#### RHINORAMPS, 12,000 LB. CAPACITY

#11909 LINE 200

Featuring Core-Trac non-skid feet with 12,000 lb. GVM capacity 17° incline for low clearance vehicles | Durable structural foam plastic | 36"L x 17"W x 6-3/4"H







Water, mildew and tear resistant | Double water proof surfaces | Double reinforced corners | Rope

sewn in along edges for added strength

#W6006

10' x 12'

**Federated** 



**Federated** 


Auto

#### **FEDERATED HEAVY DUTY** MUD FLAPS

**LINE 291** 

Made with Symar, an extremely durable,

fully-cured, fiber-reinforced rubber product made from recycled rubber | Symar is known for superior durability, performance, versatility and economy | Flaps are molded using a unique grain pattern process eliminating the "waving" effect Slotted holes on standard centers allow quick installation



#### FEDERATED FENDER COVER

436 LINE 365

Tough, leather grained vinyl | Nonslip, cushioned backing | Sewn-in ribs holu tools and cover



#### **ROADSIDE EMERGENCY KIT**

#W1555 LINE 962

Zippered case with integrated reflective triangle Includes: 8' 10-GA jumper cables, 2 ton 14' tow rope, Krypton flashlight, pliers, 2 in 1 screwdriver, bungee cords, rain poncho, first aid kit, gloves, ice scraper, tire gauge, knife, cable ties, and electrical tape



#### 300 LB 21" WHEEL STEP

Non-slip surface | 4 position height adjustment | Folds flat for storage | Fits tires up to 13" wide | Step dimensions:







These units are fitted with a pressure gauge that provides at-a-glance status, manufactured from lightweight aluminum and a tough nylon valve assembly | DOT approved | Supplied with plastic bracket and metal strap

#### DISPOSABLE

#440160MTL LINE 550 2.85 lbs. | 3.25" x 10.95" | 8-12 seconds | 4'-6' range | 100 PSI

#440161MTL LINE 550

3.9 lbs. | 3.25" x 13.75" | 8-12 seconds | 6'-8' range | 100 PSI

#440162MTL LINE 550 3.9 lbs. | 3.25" x 13.75" | 8-12 seconds | 6'-8' range | 100 PSI

#### **RECHARGEABLE**

7.9 lbs. | 4.5" x 16.07" | 13-15 seconds | 12'-18' | 195 PSI

# THE GROUP TRAINING ACADEMY EXCLUSIVE OFFERINGS



LEARN SKILLS THAT BOOST YOUR TECHNICAL ABILITIES, CUSTOMER SERVICE, & THE BOTTOM LINE

#### YOUR FEDERATED CAR CARE TRAINING PROGRAM INCLUDES:

#### 12 PREMIUM NEW RELEASES

- Advanced Electrical & Hybrid Vehicles
- Fuel Systems
- Scan Data
- Diagnostic Strategies
- Air Conditioning
- Vehicle Security Systems
- Emerging Technology
- Data Bus
- Noise and Thermal Imaging
- Chrysler Update
- Lab Scope
- Push Button Start/Start-Stop Systems



# 1 ASE TEST PREP TRAINING OF YOUR CHOICE



#### COUNTERMAN EDUCATION CENTER

2 Courses Added Weekly



#### **5 BASIC ESSENTIALS INCLUDING:**

- Labscopes for the New User
- 7 Habits of Successful Service Advisors
- Advanced Scan Tool Testing Strategies
- Variable Valve Timing
- Insider Secrets: Focus on Fords

# **DO YOU WANT MORE?**

Upgrade to an All-Access Pass for Only \$199! Over 1000 Hours of Training Provided By:











A resource for automotive professionals to enhance your everyday routine.

Automatic Enrollment | New Content Added Monthly | Comprehensive Quizzes & Certificates of Course Completion

# RELIABLE NAME BRANDS FOR YOUR SHOP



PIG® Absorbent
Mat Pads absorb
oils, coolants,
solvents, & water!

giq

#### **PIG® Absorbent Mat Pads**

PIG Mat lasts 2x longer than ordinary mats for fewer change-outs. It absorbs oils, coolants, solvents, and water; just about any mess you need to clean up!

Multiple layers of 100% polypropylene are thermally bonded to make PIG Mat the strongest mat on the market; won't rip, tear or fray even when saturated | Exclusive dimple pattern speeds wicking of liquid throughout mat for faster, easier cleanup | Highly absorbent, fine-fiber construction won't leave liquids or fiber residue behind | Absorbs most common industrial liquids – oils, water, solvents, coolants, and more

**Light-Weight Roll, 15" x 50'** \$1995 #25201 LINE 708

Medium-Weight Pads, 15" x 20" \$11495 #25300 LINE 708

Medium-Weight Roll, 30" x 150' \$17495 #25400 LINE 708

# **Scrubbing Towels, 72 Count Bucket**

#6396 | INF 432

Dual textured wet towels with a scrubbing side for removing tough soils and a smooth side for quick dirt absorption |
Extra-large towels for superior cleaning capacity | Contains skin conditioners to help prevent dryness and irritation | For use anywhere heavy duty cleaning is required; no water needed | Fresh citrus scent | Effective on heavy metals, grease, paint, adhesives, tar, and asphalt



\$**19**<sup>98</sup>

# **240 Piece Push Pin Retainer Assortment**

#W5259 LINE 962

The perfect assortment of push retainers for Ford, GM, Chrysler, Toyota, Honda, Nissan, and more Comes with a fastener remover tool Comes with the most common sizes, for easy replacement of old or broken push retainers

\$**19**<sup>95</sup>



